

Références

- [Adler, 1993] Adler R. F., Negri A. J., Keehn P. R., and I. M. Hakkarinen (1993). 'Estimation of monthly rainfall over Japan and surrounding waters from a combination of low-orbit microwave and geosynchronous IR data', *J. Appl. Meteor.*, **32**, 335-356.
- [Alishouse, 1990] Alishouse J. C., Snider J. B., Westwater E. R., Swift C. R., Ruf C. S. et Snyder S. A. (1990). 'Determination of cloud liquid water content using SSM/T', *IEEE Trans. Geosci. Remote Sensing* **28**, 5, 817-822.
- [Bauer, 1993] Bauer P. et Schlüssel P. (1993). 'Rainfall, total water, ice water, and water vapor over sea from polarized microwave simulation and special sensor microwave/ imager'. *J. Geophys. Res.*, **98**, 11, 737-20,759.
- [Bauer, 2000] Bauer P., Khain A., Pokrovsky A., Meneghini R., Kummerow C., Marzano F., et Póiares Baptista J. P. V. (2000). 'Combined Cloud-Microwave Radiative Transfer Modeling of Stratiform Rainfall', *J. Atmos. Sci.*, **57**, 1082-1104.
- [Beard, 1983] Beard K. V. et Jameson A. R. (1983). 'Raindrop Canting', *Journ. Atmosph. Sci.*, **40**, 448-454.
- [Bishop, 1995] Bishop C. M. (1995). Neural networks for pattern recognition, *Oxford University Press*.
- [Bruggeman, 1935] Bruggeman D. A. G. (1935). 'Berechnung verschiedener physikalischer Konstanten von heterogenen Substanzen. I: Dielektrizitätskonstanten und Leitfähigkeiten der Mischkörper aus isotropen Substanzen', *Ann. Phys.*, **24**, 636-679.
- [Chandrasekhar, 1960] Chandrasekhar S. (1960). Radiative Transfer, *Dover Publications, Inc.*, New York.

- [Cox, 1954] Cox C. et Munk W. (1954). 'Statistics of the sea surface derived from sun glitter', *J. Marine Res.*, **13**, 198-227.
- [Cybenko, 1989] Cybenko G. (1989). 'Continuous value neural networks with two hidden layers are sufficient', *Math. Control Signals and Systems*, **2**, 303-314.
- [Czekala, 1998] Czekala H. (1998). 'Effects of ice particles shape and orientation on polarized microwave radiation for off-nadir problems', *Geophysical Research Letters*, **25**, 10, 1669-1672.
- [Czekala, 1998] Czekala H. et Simmer C. (1998). 'Microwave radiative transfer with non spherical precipitating hydrometeors', *J. Quant. Spectrosc. Radiat. Transfer*, **60**, 365-374.
- [Diermendjian, 1969] Diermendjian D. (1969). Electromagnetic scattering on spherical polydispersions, *Elsevier*, New_York.
- [Ellison, 1998] Ellison W., Balana A., Delbos G., Lamkaouchi K., Eymard L., Guillou C., Prigent C. (1998). 'New permittivity measurements of seawater', *Radio Science*, **33**, 3, 639-648.
- [Evans, 1990] Evans K.F. et Vivekanandan J. (1990). 'Multiparameter radar and microwave radiative transfer modeling of nonspherical atmospheric ice particles', *IEEE Trans. Geosci. Remote Sens.*, **28**(4), 423-437.
- [Ferreira, 2000] Ferreira F., Amayenc P., Oury S. et Testud J. (2000). 'Study and test of improved rain estimates from the TRMM precipitation radar', *JAM*.
- [Geman, 1992] Geman S., Bienenstock E. et Dorsat R. (1992). 'Neural Networks and bias/variance dilemma', *Neural Comp.*, **4**, 1-58.
- [Gerard, 1996] Gerard E. (1996). Restitution de l'eau liquide nuageuse par radiométrie hyperfréquence, Univ. Pierre et Marie Curie, Paris, France.

- [Gloaguen, 1992] Gloaguen C. Rafizadeh M. et Lavergnat J. (1992). 'CHLOE: Logiciel de calcul des interactions entre les ondes electromagnetiques et les hydrometeores', *Note technique*, CNET/CRPE.
- [Grody et Ferraro, 1992] Grody N. C. et Ferraro R. R. (1992). 'A comparison of passive microwave rainfall retrieval methods', *Proc. Sixth Conference on Meteorology and Oceanography*, AMS, Atlanta, GA, 60-65.
- [Gunn et Marshall, 1958] Gunn K. L. S. et Marshall J. S. (1958). 'The distribution with size of aggregate snowflakes', *J. Meteor.*, **6**, 243-248.
- [Hollinger, 1971] Hollinger J.P. (1971). 'Passive microwave measurement of sea surface roughness', *IEEE Trans. Geosci. Electron*, **9**, 165-169.
- [Hornik, 1989] Hornik M., Stinchcombe M. et White H. (1989). 'Multilayer feedforward networks are universal approximators', *Neural Networks*, **2**, 359-366.
- [Ishimaru, 1978] Ishimaru A. (1978). Wave propagation and scattering in random media, *Academic Press*, New York, vol. 1 et 2.
- [Jacobs, 1991] Jacobs R. A., Jordan M. I., Nowlan S. J. and Hinton G. E. (1991). 'Adaptive mixtures of local experts', *Neural Computation*, **3**, 79-87.
- [Jordan, 1994] Jordan M. I., Jacobs R. A. (1994). 'Hierarchical mixtures of experts and the EM algorithm', *Neural Computation*, **6**, 181-214.
- [Jordan, 1995] Jordan M. I. et Xu L. (1995). 'Convergence results for the EM approach to mixtures of experts architectures', *Neural Networks*, **8**, 1409-1431.
- [Joss, 1968] Joss J., Thams J.C. et Waldvogel A (1968). 'The variation of raindrop size at Locarno', *Proc. Int. Conf. on Cloud Physics*, 369-373.

- [Jung, 1998] Jung T., E. Ruprecht, F. Wagner, Determination of cloud Liquid Water Path over Oceans from Special Sensor Microwave/Imager (SSM/I) Data Using Neural Networks, *J. Appl. meteor.*, **37**, 832-844,1998.
- [Klapisz, 1998] Klapisz C., Viltard N., Marecal V. (1998). 'Effects of field of view inhomogeneities on the rain estimation from microwave radiometry', *Int. J. Remote Sensing* **19**, 1, 211-215.
- [Kummerow, 1988] Kummerow C. and Weiman J.A. (1988). 'Determining microwave brightness temperature from precipitating horizontally finite and vertically structured clouds', *Journ. Geophys. Res.*, **93**(D4), 3720-3728.
- [Kummerow, 1989] Kummerow C., Mack R. A. and Hakkarinen I. M. (1989). 'A self consistency approach to improve microwave rainfall rate estimation from space', *J. Appl. Meteor.*, **28**, 869-884.
- [Kummerow, 1993] Kummerow C. (1993). 'On the accuracy of the Eddington Approximation for radiative transfer in the microwave frequencies', *Journ. Geophys. Res.*, **98**, 2757-2765.
- [Kummerow, 1994] Kummerow C. and Giglio L. (1994). 'A passive microwave technique for estimating rainfall and vertical structure information from space. Part I. Algorithm description', *J. Appl. Meteor.*, **33**, 3-18.
- [Kummerow, 1996] Kummerow C., Olson W. S. et Giglio L. (1996). 'A simplified Scheme for Obtaining Precipitation and Vertical Hydrometeor Profiles from Passive Microwave Sensors'. *IEEE Trans. On Geosci. and Remote Sensing* **34**, 1213-1232.
- [Kummerow, 1997] Kummerow C. (1997). 'Beamfilling errors in passive microwave rainfall retrievals', *J. Appl. Meteor.*, **37**, 356-371.
- [Kummerow, 1998] Kummerow C., Barnes W., Kozu T., Shiue J. et Simpson J. (1998). 'The Tropical Rainfall Measuring Mission (TRMM) Sensor Package', *J. Atmos. Oceanic Technol.*, **15**, 809-817.

- [Kummerow, 2000] Kummerow C, J. Simpson, O. Thiele, A.T.C. Chang, E. Stocker, R.F. Adler, A. Hou, R. Kakar, F. Wentz, P. Ashcroft, T. Kozu, Y. Hong, K. Okamoto, T. Igushi, H. Kuroiwa, E. Im, Z. Haddad, G. Huffman, T. Krishnamurti. B. Ferrier, W.S. Olson, E. Zipser, E.A. Smith, T.T. Wilheit, G. North, K. Nakamura, (2000). 'The Status of the Tropical Rainfall Measuring Mission (TRMM) after 2 Years in Orbit', Submitted to *J. Appl. Meteor.*
- [Laws, 1943] Laws J. O. et Parsons D. A. (1943). 'The relation of drop-size to intensity', *Trans. Amer. Geophys. Union*, **24**, II, 452-459.
- [LeCun, 1985] LeCun Y. (1985). 'Une procédure d'apprentissage pour réseaux à seuil asymétrique', *Cognita85*, pp 599-604.
- [Liebe, 1993] Liebe H.J., Hufford G.A. et Coton M.G. (1993). 'Propagation modeling of moist air and suspended water/ice particles below 1000 GHz'. *Proc. of AGARD Fifty-Second Specialists Meeting of Panel on Electromagnetic Wave Propagation*, 3-1-3-10.
- [Liou, 1980] Liou K. N. (1980). An Introduction to Atmospheric Radiation, *Academic Press*.
- [Lipton, 1999] Lipton A. E., Griffin M. K. et Ling A. G. (1999). 'Microwave Transfer Model Differences in Remote Sensing of Cloud Liquid Water at Low Temperatures', *IEEE Trans. on Geosci. and Remote Sensing* **37**, 1, 620-623.
- [Liu, 1992] Liu G. et Curry J. A. (1992). 'Retrieval of precipitation from satellite microwave measurement using both emission and scattering', *J. Geophys. Res.*, **97**, 959-974.
- [Locatelli, 1974] Locatelli J. D. et Hobbs P. V. (1974). Solid Precipitation Particles.
- [Lojou, 1990] Lojou J. Y. (1990). Algorithmie et méthodes de validation des instruments en radiométrie hyperfréquence, *Thèse de doctorat*, Univ. Paris VII, France.
- [Magono, 1966] Magono C. et Lee C. W. (1966). 'Meteorological classification of natural snow crystal', *Journ. Fac. Sci.*, **2**, 321-362.

- [Manabe, 1987] Manabe T., Liebe H. J. et Hufford G. A. (1987). 'Complex permittivity of water between 0 and 30 GHz', *12th Int. Conf. Infrared Millimeter Waves*, Orlando, Florida, 229-230.
- [Mangeas, 1997] Mangeas M. (1997). Propriétés Statistique des Modèles Paramétriques Non linéaires de Prévion de Séries Temporelles. Application aux Réseaux de Neurones à Propagation Directe, Université Sorbonne, Paris, France.
- [Marshall et Palmer, 1948] Marshall J. S. et Palmer W. M. K (1948). 'The distribution of rain drops with size', *Journ. Meteorol.*, **5**, 165-166.
- [Maxwell-Garnett, 1904] Maxwell-Garnett J. C. (1904). 'Colors in metal glasses and in metallic films', *Philos. Trans. Roy. Soc. London Ser. A*, **203**, 385-420.
- [McCormick, 1974] McCormick G. C. et Hendry A. (1974). 'Polarization properties of transmission trough precipitation over a communication link', *Journ. Rech. Atmos.*, **8**, 175-187.
- [McCulloch, 1943] McCulloch W. S. and Pitts W. (1943). 'A logical calculus for the ideas immanent in nervous activity', *Bulletin of Math. Biophys.*, **5**, 115-137.
- [Meneghini, 1998] Meneghini R., Liao L., Iguchi T. (1998). 'Effective dielectric constants of melting hydrometeors and their use in radar bright-band model', *Proc IGARSS'98Seattle*, WA, July 6-10, 147-149. Submitted to *IEEE Trans. Geosci. Remote Sens.*, 1997.
- [Mie, 1908] Mie G. (1908). 'Beitruge zur Optik truder Medein, spezeill. Colloidalen metallosungen (Contributions à l'optique des milieux troubles, en particulier des solutions métalliques colloïdales)', *Annn. Der Phys.*, **25**, 377-443.
- [Minsky et Paper, 1969] Minsky M. et Paper S. (1969). *Perceptrons : an introduction to computational geometry*, *MIT Press*, Cambridge.

- [Morrison et Cross, 1974] Morrison J.A., et Cross M.J. (1974). 'Scattering of a plane electromagnetic wave by axi-symmetric raindrops', *Bell Syst. Tech. J.*, **52**, 955-1019.
- [Nadal, 1993] Nadal, J. P. (1993). Réseaux de neurones de la physique à la psychologie, Armand Colin, collection 2AI.
- [Obligis, 1996] Obligis E. (1996). 'Estimation des précipitations par radiométrie hyperfréquence pendant l'expérience TOGA-COARE'. Université Denis Diderot, Paris, France.
- [Obligis, 1999] Obligis E. et Eymard L. (1999). 'Comparison between spaceborne microwave radiometer measurements and simulations by two different radiative transfer models over coincident meteorological fields', *Proc.μrad99*, Firenze, Italie.
- [Oguchi, 1983] Oguchi T. (1983). 'Electromagnetic Wave propagation and Scattering in Rain and Other Hydrometeors', *Proc. IEEE*, **71**, 1029-1078.
- [Olson, 200] Olson W. S., Bauer P., Kummerow C. D., Hong Y. et Tao W. K. (2000). 'A Melting Layer Model for Passive/Active Microwave Remote Sensing Application- Part II : Simulation of TRMM Observation', *J. of Applied Meteor.*
- [Panegrossi, 1998] Panegrossi, G., S. Dietrich, F. S. Marzano, A. Mugnai, E. A. Smith, X. Xiang, G. J. Tripoli, P. K. Wang and J. V. Poyares Baptista, (1998). 'Use of cloud model microphysics for passive microwave-based precipitation retrieval : significance of consistency between model and measurement manifolds', *J. Atmos. Sci.*, In press
- [Petty, 1990] Petty G. W. (1990). 'On the response of the Special Sensor Microwave Imager to the marine environment – Implications for atmospheric parameter retrievals', *Ph. D. Thesis*, Dept. Of Atmospheric Sciences, University of Washington.
- [Pruppacher et Klett, 1978] Pruppacher H.R. et Klett J.D. (1978). *Microphysics of Clouds and Precipitation*, Mass. D. Reidel, Boston.

- [Pruppacher et Pitter, 1971] Pruppacher H. R. et Pitter R. L. (1971). 'A semi-empirical determination of the shape of cloud and rain drop', *Journ. Atmosph. Sci.*, **28**, 86-94.
- [Ray, 1972] Ray P. S. (1972). 'Broadband complex refractive indices of ice and water', *Appl. Opt.*, **11**, 1836-1844.
- [Rivals, 1995] Rivals I. (1995). Modélisation et commande de processus par réseaux de neurones ; application au pilotage d'un véhicule autonome, *Thèse de Doctorat*, Univ. Paris6, France.
- [Rogers, 1979] Rogers R. R. (1979). A short course in cloud physics, *2nd ed. Pergamon*, New York
- [Rumelhart, 1986] Rumelhart D. E., Hinton G. E. and Williams R. J. (1986). Learning internal representations by error propagation, in « Parallel distributed processing :explorations in the microstructures of cohnnyion », *MIT Press*, Cambridge.
- [Sekon et Srivastava, 1970] Sekhon R. S. et Srivastava R. C. (1970). 'Snow size spectra and radar reflectivity', *Journ. Atmos. Sci.*, **27**, 299-307.
- [Spencer, 1989] Spencer R. W., Goodman H. M. et Hood R. E. (1989). 'Precipitation retrieval over land and land and ocean with the SSM/I : Identification and characteristics of the scattering signal'. *J. Atmos. Ocean. Tech.*, **6**, 254-273.
- [Stogryn, 1967] Stogryn A. (1967). 'The apparent temperature of the sea at microwave frequencies', *IEEE Trans. Antennas Propagat.*, **15**, 278-286.
- [Straton, 1941] Straton J. A. (1941). Electromagnetic theory, *Mc Graw-Hill*, New-York.
- [Srivastava, 1967] Srivastava R. C. (1967). 'On the role of coalescence between raindrops in shaping their size distribution', *Journ. Atmos. Sci.*, **19**(4),575-578.

- [Tao, 1993] Tao, W. K. et Simpson J., (1993). 'Goddard Cumulus Ensemble Model. Part I: Model Description', *Terr. Atmos. Oceanic Sci.*, **4**, 35-72
- [Testud, 2000] Testud J., Oury S., Black R. A., Amayence P. Dou X. (2000). 'The concept of « normalized » distribution to describe raindrop spectra : a tool for cloud physics and cloud remote sensing', *Submitted to J. Atmos. Sci.*
- [Thiria, 1993] Thiria S., Badran F., Mejia C. and Crepon M. (1993). 'A neural network approach for modelling non linear transfert functions : Application for wind retrieval from spaceborne scatterometer data', *J. Geophys. Res.*, **98** (C12), 22, 827-22,841.
- [Tran, 1999] Tran V. B. N. (1999). Contribution à l'étude des diffusiomètres NSCAT et ERS-2 par modélisation neuronale Influence de la hauteur des vagues sur le signal diffusiométrique', *Thèse de Doctorat*, Univ. Paris6, France.
- [Tsang, 1985] Tsang L., Kong J.A. et Shin R.T. (1985). Theory of Microwave Remote Sensing, *Wiley*, New-York.
- [Tsintikidis, 1997] Tsintikidis D., Haferman L., Anagnostou E. N., Krajewski W. F. et Smith T. F. (1997). 'A neural network approach to estimating rainfall from spaceborne microwave data', *IEEE Trans. Geosci. Remote Sens.*, **35**, 5, 1079-1093.
- [Ulaby, 1981] Ulaby F. T., Moore R. K. et Fung A. K. (1981). Microwave remote sensing, Vol. 1, fundamentals and radiometry, *Artech House Inc.*, 456.
- [Van de Hulst, 1957] Van de Hulst J. C. (1957). Light scattering by small particles, *John Willey*, New-York.
- [Viltard, 2000] Viltard N., Kummerow C., Olson W. S., Hong Y. (2000). 'Combined use of the radar and the radiometer of TRMM to estimate the influence of drop size distribution on the rain retrieval', *J. Appl. Meteorol.*, Accepted.

[Waterman, 1965] Waterman P.C.(1965). 'Matrix formulation of electromagnetic scattering', *Proc IEEE*, **53**(8), 805-812.

[Wexler, 1947] Wexler R. (1947). Cellular structure of intermittent rain. Convection patterns in the atmosphere and ocean. *R. B. Montgomery et al.*, Eds., Chapter 2, 706-844.

[Wu, 1979] Wu S. T. (1979). 'Oceanic withcap and sea state', *J. Phys. Ocean.*, **9**, 1064-1068.

[Wu et Weiman, 1984] Wu R. et Wieman J.A. (1984). 'Microwave radiances from precipitating clouds containing aspherical ice, combined phase, and liquid hydrometeors', *Journ. Geophys. Res.*, **89**(D5), 7170-7178.