

## List of Publications of Prof J. Chattopadhyaya

Department of Bioorganic Chemistry, Box 581, Biomedical Center,  
University of Uppsala, S-751 23 Uppsala, Sweden

Tel : +4618-471 45 77; Fax: +4618-55 44 95;

E-mail: [jyoti@boc.uu.se](mailto:jyoti@boc.uu.se);

Web site: <http://www.boc.uu.se/>

### 2006

365. Invited Book Review on "Charge Transfer in DNA: From Mechanism to Application."  
Edited by Hans-Achim Wagenknecht.  
J. Chattopadhyaya, *ChemBioChem*, **7** (2), pp 389 (2006).
364. The chemical nature of the 2'-substituent in the pentose-sugar dictates the pseudoaromatic character of the nucleobase ( $pK_a$ ) in DNA/RNA.  
S. Chatterjee, W. Pathmasiri, O. Plashkevych, D. Honcharenko, O. P. Varghese, M. Maiti and J. Chattopadhyaya, *Org. Biomol. Chem.*, **4**, 1675-1686 (2006)
363. Synthesis and Structure of Novel Conformationally-constrained 1',2'-Azetidine-Fused Bicyclic Pyrimidine Nucleosides: Their Incorporation into Oligo-DNAs and the Thermal Stability of the Heteroduplexes.  
D. Honcharenko, O. P. Varghese, O. Plashkevych, J. Barman and J. Chattopadhyaya. *J. Org. Chem.*, **71**, 299-314 (2006).
362. Interactions of drugs and an oligonucleotide with charged membranes analyzed by immobilized liposome chromatography.  
A. Lundquist, C. Engvall, E. Boija, S. Kurtovic, J. Chattopadhyaya, C. Lagerquist, Hägglund and P. Lundahl, *Biomedical Chromatography*, **20**, 83-87 (2006).
361. Non-identical Chemical Characters of the Internucleotidic Phosphates can Modulate the Non-enzymatic Reactivity of the Phosphodiester Bonds in RNA.  
J. Barman, S. Acharya, S. Chatterjee, Å. Engström and J. Chattopadhyaya, *Org. Biomol. Chem*, **4**, 928 - 941 (2006).
- J. Isaksson and J. Chattopadhyaya, *Biochemistry* **44**, 5390-5401 (2005).
357. Oxetane Locked Thymidine in the Dickerson-Drew Dodecamer Causes Local Base Pairing Distortions – An NMR Structure and Hydration Study  
J. Isaksson, O. Plashkevych, P. I. Pradeepkumar, W. Pathmasiri, P. Shrivastava, S. Chatterjee, J. Barman, C. Petit and J. Chattopadhyaya, *J. Biomolecular Structure & Dynamics*, **23**(3), p233-356 (2005).
356. 2'/3'-O-peptidyl Adenosine as a General Base Catalyst of its Own External Peptidyl Transfer: Implications for the Ribosome Catalytic Mechanism.  
M.M. Chagalov, G.D. Ivanova, M.A. Rangelov, P. Acharya, S. Acharya, N. Minakawa, A. Földesi, I.B. Stoineva, V.M. Yomtova, C.D. Roussev, A. Matsuda, J. Chattopadhyaya, and D.D. Petkov, *ChemBioChem*, **6**, 1 –6 (2005).
355. Electrostatic Cross-modulation of the Pseudoaromatic Character in Single Stranded RNA by Nearest-neighbor Interactions.  
P. Acharya and J. Chattopadhyaya, *Pure and Applied Chemistry*, **77**(1), 291-311 (2005).

### 2004

354. Human deoxycytidine kinase as a deoxyribonucleoside phosphorylase.  
E. Usova, T. Maltseva, J. Chattopadhyaya and S. Eriksson, *Journal of Molecular Biology*, **344**, Issue 5, Pp 1347-1358 (2004).
353. Single-stranded Adenine-rich DNA and RNA Retain Structural Characteristics of their Respective Double-stranded Conformations and Show Directional Differences in Stacking Pattern.  
J. Isaksson, S. Acharya, J. Barman, P. Cheruku and J. Chattopadhyaya, *Biochemistry* **43** (51), 15996-16010 (2004).
352. Invited Book Review on "Highlights in Bioorganic Chemistry",  
Eds C. Schmuck and H. Wenneemers.  
J. Chattopadhyaya, *ChemBioChem*, **5**, pp1719 (2004).
351. Oxetane modified, conformationally constrained, antisense oligodeoxyribonucleotides function efficiently as gene silencing molecules.  
J. B. Opalinska, A. Kalota, L. K. Gifford, P. Lu, K-Y Jen, P.I. Paradeepkumar, J. Barman, T.K. Kim, C. Swider, J.
360. Facile preparation of the Oxetane-Nucleosides.  
M. Bogucka, P. Nauš, W. Pathmasiri and J. Chattopadhyaya. *Org. Biomol. Chem.*, **3**, 4362-4372 (2005).
359. The 5-Me of thymine (T) interaction with the Neighboring Nucleobases dictate the relative stability of isosequential DNA/RNA hybrid duplexes.  
S. Chatterjee, W. Pathmasiri and J. Chattopadhyaya, *Org. Biomol. Chem*, **3**, 3911–3915 (2005).
358. A Uniform Mechanism Correlating Dangling-end Stabilization and Stacking Geometry.

- Chattopadhyaya, and A.M.Gewirtz, *Nucleic Acids Research* **32**(19), 5791–5799 (2004).
350. Synthesis, Physicochemical and Biochemical Studies of 1',2'-Oxetane Constrained Adenosine and Guanosine Modified Oligonucleotides, and their Comparison with those of the Corresponding Cytidine and Thymidine Analogs.  
P. I. Pradeepkumar, P. Cheruku, O. Plashkevych, P. Acharya, S. Gohil and J. Chattopadhyaya, *J. Am. Chem. Soc.* **126**, 11484-11499 (2004)
349. Modified Nucleosides and Nucleotides and Their Use Thereof.  
J. Chattopadhyaya, US Patent publication: US-2004-0142946-A1
348. Significant pKa perturbation of Nucleobases is an Intrinsic Property of the Sequence Context in DNAs and RNAs.  
Acharya, J. Barman, P. Cheruku, S. Chatterjee, P. Acharya, J. Isaksson and J. Chattopadhyaya, *J. Am. Chem. Soc.* **126**, 8674-8681 (2004)
347. Synthesis of 2'-<sup>2</sup>H<sub>1</sub>-Ribonucleosides.  
Földesi, M. K. Kundu, Z. Dinya and J. Chattopadhyaya, *Helvetica Chimica Acta*, **87**, 742-757 (2004).
346. Measurement of Nucleobase pK<sub>a</sub> Values in Model Mononucleotides shows RNA-RNA Duplexes to be More Stable than DNA-DNA Duplexes.  
P. Acharya, P. Cheruku, S. Chatterjee, S. S. Acharya and J. Chattopadhyaya, *J. Am. Chem. Soc.* **126**, 2862-2869 (2004).
- 2003**
345. Studies towards the large scale chemical synthesis of the precursors of ribonucleosides-3',4',5',5''-<sup>2</sup>H<sub>4</sub> and -2',3',4',5',5''-<sup>2</sup>H<sub>5</sub>  
A. Földesi and J. Chattopadhyaya, *Nucleosides, Nucleotides and Nucleic Acids*, **22** (12), 2093-2104 (2003).
344. Studies on the Stereoselective Synthesis of Deuterated-Ribose Derivatives.  
M. K.Kundu, A. Földesi and J. Chattopadhyaya, *Helvetica Chimica Acta*, **86**, 633-643 (2003).
343. The Cross-modulation of the pK<sub>a</sub> of Nucleobases in a Single Stranded Hexameric-RNA due to Tandem Electrostatic Nearest-neighbor Interactions.  
P. Acharya, S. Acharya, N. V. Amirkhanov, P. Cheruku, A. Földesi and J. Chattopadhyaya, *J. Am. Chem. Soc.* **125**, 9948-9961 (2003).
342. A Repertoire of Pyridinium-Phenyl-Methyl Cross-talk Through Cascade of Intramolecular Electrostatic Interactions.  
P. Acharya, O. Plashkevych, C. Morita, S. Yamada and J. Chattopadhyaya, *J. Org. Chem.* **68**, 1529-1538 (2003).
341. The pK<sub>a</sub>s of 2'-hydroxyl Group in di-ribonucleoside (3'→5') monophosphates by NMR spectroscopy.  
S. Acharya, and J. Chattopadhyaya, *J. Org. Chem.* **68**, 1906-1910 (2003).
340. Tandem Electrostatic Effect From the First to the Third Aglycon in the Trimeric RNA Owing to the Nearest-neighbor Interaction  
P. Acharya, A. Földesi and J. Chattopadhyaya, *J. Am. Chem. Soc.* **125**, 2904-2100 (2003)
339. Conformational analysis of antisense 2'-oxetane modified DNA/RNA duplexes as substrates for RNase H.  
O. Plashkevych, and J. Chattopadhyaya, NSC Progress Report 2002, .p31-34. National Supercomputing Center at Linköpings universitet, ISBN: 91-7373-687-2.
338. Cross-Modulation of Physico-Chemical Character of Aglycones in Dinucleoside (3'→5') monophosphates by the Nearest Neighbor Interaction in the Stacked State.  
S. Acharya, P. Acharya, A. Földesi and J. Chattopadhyaya, *J. Am. Chem. Soc.* **124**, 13722-13730 (2002).
337. Experimental evidences unequivocally prove the role of stereoelectronics as one of the major forces responsible for the self-assembly of DNA and RNA. P. Acharya, J. Isaksson, P.I. Pradeepkumar and J. Chattopadhyaya, *Collect. Czech. Chem. Commun., Collection Symposium Series (Chemistry of Nucleic Acid Components)* **5**, pp99-120 (2002).
336. Synthesis of the DNA-[Ru(tpy)(dppz)(CH<sub>3</sub>CN)]<sup>2+</sup> Conjugates and their Photo Cross-Linking Studies with the Complementary DNA Strand. D. Ossipov, S. Gohil and J. Chattopadhyaya, *J. Am. Chem. Soc.* **124**, 13416-13433 (2002).
335. Antisense oligonucleotides with oxetane-constrained cytidine enhance heteroduplex stability, and elicit satisfactory RNase H response as well as showing improved resistance to both exo and endonucleases.  
P.I. Pradeepkumar, N.V. Amirkhanov, and J. Chattopadhyaya, *Org. Biomol. Chem.* **1**, 81-92 (2003)
334. Computational and NMR study of Quaternary Ammonium Ion Conformations in Solutions.  
V.B. Luzhkov, F. Österberg, P. Acharya, J. Chattopadhyaya and J. Åqvist, *Phys. Chem. Chem. Phys.* **4**, 4640-4647 (2002).
333. An Electrochemical Probe of DNA stacking in an Antisense Oligonucleotide Containing a C3'-endo Locked Sugar.  
E. M. Boon, J. K. Barton, P. I. Pradeepkumar, J. Isaksson, C. Petit and J. Chattopadhyaya, *Angew Chem. Int. Ed.*, No 18, 3402-3405 (2002).
332. Kinetic Analysis of the RNA Cleavage of the oxetane modified Antisense-RNA Hybrid Duplex by RNase H.  
N.V. Amirkhanov, P.I. Pradeepkumar and J. Chattopadhyaya, *JCS Perkin 2* (issue 5), p 976-984 (2002).
331. The RNase H Affinity and Cleavage of the target RNA in the Antisense-RNA Hybrid Duplexes Containing various 3'-Tethered Substituents in the Antisense Strand.  
N.V. Amirkhanov and J. Chattopadhyaya, *JCS Perkin 2*, Issue 2, p271-281 (2002).
330. The Hydrogen Bonding and Hydration of 2'-OH in Adenosine and Adenosine 3'-ethylphosphate.  
P. Acharya and J. Chattopadhyaya, *J. Org. Chem.* **67**, 1852-1865 (2002)
- 2001**
329. The Oxetane Modified Antisense Oligonucleotides Promote RNase H Cleavage of the Complementary RNA Strand in the Hybrid Duplex as good as the Native, and Offer Improved Endonuclease Resistance.  
P.I. Pradeepkumar and J. Chattopadhyaya, *JCS Perkin 2*, Issue 11, 2074 - 2083 (2001).

328. Synthesis of Multiply Labelled Ribonucleosides for Sequence-Specific Labeling of oligo-RNA. J. Milecki, A. Földesi, A. Fischer, R. W. Adamiak, J. Chattopadhyaya, *J. Labelled Cpd. Radiopharm.* **44**(11), 763-783 (2001).
327. Deuterated Nucleosides, J. Chattopadhyaya, *United States patent* 5,721,350
326. Total Synthesis of 2',3',4',5"-<sup>2</sup>H<sub>5</sub>-Ribonucleosides – the Key Building Blocks for NMR Structure Elucidation of Large RNA. A. Földesi, A. Trifonova, Z. Dinya and J. Chattopadhyaya, *J. Org. Chem.* **66**, 6560-6570 (2001).
325. Synthetic studies to improve the deuterium labeling in nucleosides for facilitating structural studies of large RNAs by high-field NMR spectroscopy. M.K. Kundu, A. Trifonova, Z. Dinya, A. Földesi and J. Chattopadhyaya, *Nucleosides, Nucleotides & Nucleic Acids* **20**, 1333-1338 (2001).
324. Do the 16mer, 5'-GUGGUCUGAUGAGGCC-3' and the 25mer, 5'-CGCCGAACUCGUAAGAGUACCCAC-3', form a hammerhead ribozyme structure in physiological condition? An NMR and UV thermodynamic study. E. Zamaratski, A. Trifonova, P. Acharya, J. Isaksson, T. Maltseva and J. Chattopadhyaya, *Nucleosides, Nucleotides & Nucleic Acids* **20**, 1219-1224 (2001).
323. Molecular modeling of 2'-OH mediated hydrogen bonding in ribonucleos(t)ides by NMR constrained AM1 and MMX calculations. P. Acharya, I. Velikian, S. Acharya and J. Chattopadhyaya, *Nucleosides, Nucleotides & Nucleic Acids* **20**, 1211-1218 (2001).
322. An energetic correlation of ab initio and NMR studies of the 3'-gauche effect in 3'-substituted thymidines. P. Acharya, C. Thibaudeau and J. Chattopadhyaya, *Nucleosides, Nucleotides & Nucleic Acids* **20**, 1229-1234 (2001).
321. The NMR conformation study of the complexes of deoxycytidine kinase (dCk) and 2'-deoxycytidine/2'-deoxyadenosine. T. Maltseva, E. Usova, S. Eriksson, J. Milecki, A. Földesi and J. Chattopadhyaya, *Nucleosides, Nucleotides & Nucleic Acids* **20**, 1225-1228 (2001).
320. The First Example of a Hoogsteen basepaired DNA duplex in Equilibrium with the Watson-Crick Basepaired Duplex – A Thermodynamic and Structural Study by 600 MHz NMR. J. Isaksson, T. Maltseva, P. Agback, X. Luo, A. Kumar, E. Zamaratski and J. Chattopadhyaya, *J. Biomolecular Structure & Dynamics* **18**, 783-806 (2001).
319. Synthesis of [Ru(phen)<sub>2</sub>dppz]<sup>2+</sup> Tethered oligo-DNA, and Studies on the Metallointercalation Mode into the DNA Duplex. D. Ossipov, P.I. Pradeepkumar, M. Holmer and J. Chattopadhyaya, *J. Am. Chem. Soc.* **123**, 3551-3562 (2001).
318. The pK<sub>a</sub>s of 2'-hydroxyl Group in Nucleosides and Nucleotides. I. Velikyan, S. Acharya, A. Trifonova, A. Földesi and J. Chattopadhyaya, *J. Am. Chem. Soc.* **123**, 2893-2894 (2001).
317. The Recognition and Cleavage of RNA in the Antisense Oligo-RNA Hybrid Duplexes by RNase H. N.V. Amirkhanov, E. Zamaratski, and J. Chattopadhyaya, *Tetrahedron Lett.* **42**, 489-491 (2001).
316. A critical survey of the structure-function of the antisense oligo/RNA hybrid duplex as substrate for RNase H. E. Zamaratski, P.I. Pradeepkumar and J. Chattopadhyaya, *J. Biochemical and Biophysical Methods*, **48**, 187-203 (2001)
315. Conformation-specific Cleavage of Antisense Oligonucleotide-RNA Duplexes by RNase H. P.I. Pradeepkumar, E. Zamaratski, A. Földesi and J. Chattopadhyaya, *J.C.S. Perkin 2*, p402-408 (2001).
314. The 3'-Modified Antisense Oligos Promote Faster Hydrolysis of the Target RNA by RNase H than the Natural Counterpart. E. Zamaratski, D. Ossipov, P.I. Pradeepkumar, N. Amirkhanov and J. Chattopadhyaya, *Tetrahedron* **57**, 593-606 (2001).

## 2000

313. Transmission of the Conformational Information in the Antisense/RNA Hybrid Duplex influences the Pattern of the RNase H Cleavage Reaction. P.I. Pradeepkumar, E. Zamaratski, A. Földesi and J. Chattopadhyaya, *Tetrahedron Lett*, **41**, 8601-8607 (2000).
312. An NMR Conformational Study of the Complexes of <sup>13</sup>C/<sup>2</sup>H Double-labeled 2'-Deoxynucleosides and Deoxycytidine Kinase (dCK) T. Maltseva, E. Usova, S. Eriksson, Jan Milecki, A. Földesi, J. Chattopadhyaya, *J.C.S. Perkin II*, Issue 11, p2199-2207 (2000).
311. The synthesis of deuterionucleosides. A. Földesi, A. Trifonova, C. M. Kundu and J. Chattopadhyaya, *Nucleosides, Nucleotides and Nucleic Acids* **19**, 1615-1656 (2000).
310. The RNA Molecular Wire: The pH-Dependent Change in Electronic Character of Adenine-9-yl is Transmitted to Drive the Sugar-Phosphate Backbone Torsions in Adenosine 3', 5'-bis-phosphate. I. Velikian, P. Acharya, A. Trifonova, A. Földesi and J. Chattopadhyaya, *J. Phys. Org. Chem.* **13**, 300-305 (2000)
309. A Comparative <sup>13</sup>C and <sup>2</sup>H Transverse Relaxation Study of Microsecond Dynamics of the AT tract of Selectively <sup>13</sup>C/<sup>2</sup>H Labeled DNA duplexes:  $\begin{matrix} d^5(1^3C^2G^3A^4T^5T^6A^7A^8T^9C^{10}G \\ d^5(1^3C^2C^3A^4T^5T^6A^7A^8T^9G^{10}G \end{matrix}$  T.V. Maltseva, A. Földesi and J. Chattopadhyaya, *Magnetic Resonance in Chemistry*, **38**, 403-414 (2000).
308. The Identification of the A-Type RNA Helices in A 55mer RNA by Selective Incorporation of Deuterium Labeled Nucleotide Residues (The Uppsala NMR-Window Concept). T. Maltseva, A. Földesi, and J. Chattopadhyaya. *J. Biochem. Biophys Meth.* **42** (3), 153-178 (2000).

## 1999

307. Stereoisomeric Selectivity of the Human Deoxynucleoside Kinases. J. Wang, J. Chattopadhyaya and S. Eriksson, *Biochemistry*, **38** (51), 16993-16999 (1999).
306. Dipyrido[3,2-a:2',3'-c]phenazine Tethered Oligo-DNA. Synthesis and Thermal Stability of Their DNA-DNA and DNA-RNA Duplexes and Triplexes. D. Ossipov, E. Zamaratski and J. Chattopadhyaya, *Helvetica Chimica Acta*, **82**, 2186-2200 (1999).

305. The physico-chemical properties of 5'-Polyarene tethered DNA Conjugates and their duplexes with complementary RNA.  
N. Puri and J. Chattopadhyaya, *Nucleosides and Nucleotides* **18** (11&12), 2785-2818 (1999).
304. Selective Cleavage of the O<sup>6</sup>-Diphenylcarbamoyl group from Sugar-modified Guanosines for Incorporation into oligo-DNA.  
A. Trifonova, A. Földesi, Z. Dinya and J. Chattopadhyaya, *Tetrahedron Letts.* **40**, 7283-7284(1999).
303. Synthesis of C2-*d*-2,3-*O*-Isopropylidene-D-ribose.  
A. Trifonova, A. Földesi, Z. Dinya and J. Chattopadhyaya, *Collect. Czech. Chem. Commun.*, **2**, 47-52 (1999).
302. Stereoelectronic Effects in Nucleosides and Nucleotides and their structural implications.  
C. Thibaudeau and J. Chattopadhyaya Uppsala Universty Press, ISBN 91-506-1351-0, Distributor: Dept of Bioorganic Chemistry, Uppsala University, 1999.
301. The transmission of the electronic character of guanin-9-yl drives the sugar-phosphate backbone torsions in guanosine 3',5'-bisphosphate.  
P. Acharya, A. Trifonova, C. Thibaudeau, A. Földesi and J. Chattopadhyaya, *Angew Chem. Int. Ed.* **38**, 3645-3650 (1999).
300. The Change of the Electronic Character Upon Cisplatin Binding to Guanine Nucleotide is Transmitted to Drive the Conformation of the Local Sugar-Phosphate Backbone – A Quantitative Study.  
M. Polak, J. Plavec, A. Trifonova, A. Földesi and J. Chattopadhyaya, *J.C.S. Perkin Trans I*. p2835-2843 (1999).
299. The Enantioselectivity of the Human Deoxynucleoside Kinases.  
J. Wang, J. Chattopadhyaya and S. Eriksson, *Nucleosides & Nucleotides*, **18**(4 & 5), 807-810 (1999)
298. The strength of the 3'-gauche effect dictates the structure of 3'-anthranilyladenine and its 5'-phosphate, Two analogues of the 3'-end of aminoacyl tRNA.  
P. Acharya, B. Nawrot, M. Sprinzl, C. Thibaudeau and J. Chattopadhyaya, *J.C.S. Perkin II* p1531-1536 (1999).
297. The Application of the “Uppsala NMR-window” Concept for Conformational Analysis of Large DNA and RNA by High-field NMR Spectroscopy.  
A. Földesi, T. Maltseva, and J. Chattopadhyaya, *Nucleosides and Nucleotides*, **18**(6&7), 1599-1600 (1999).
296. Synthesis of <sup>2</sup>H/<sup>13</sup>C-Labeled 2'-Deoxynucleosides and their Site-specific Incorporation into Oligo-DNA for Structural Studies via Relaxation time Measurements.  
A. Földesi, T. Maltseva, and J. Chattopadhyaya, *Nucleosides and Nucleotides*, **18**(6&7), 1377-1378 (1999).
295. A Single Carbocyclic Nucleotide Substitution in a 12mer DNA Gives a Hoogsteen Basepaired Duplex (till 38°C) and a Hairpin (till 65°C). A 600 MHz NMR Spectroscopic Study.  
J. Isaksson, T. Maltseva, P. Agback, X. Luo, A. Kumar, E. Zamaratski and J. Chattopadhyaya, *Nucleosides and Nucleotides*, **18**(6&7), 1593-1596 (1999).
294. Determination of the group electronegativity of trifluoromethyl in 3'-*O*-Trifluoromethylthymidine by <sup>1</sup>H-NMR spectroscopy. C. Thibaudeau, N. Nishizono, Y. Sumita. A. Matsuda, and J. Chattopadhyaya. *Nucleosides and Nucleotides*, **18**(4&5), 1035-1053 (1999).
293. The first example of sequence-specific non-uniformly <sup>13</sup>C<sub>6</sub>-labelled RNA: Synthesis of the 29mer HIV-1 TAR RNA with <sup>13</sup>C relaxation window.  
I. Milecki, E. Zamaratski, T.V. Maltseva, A. Földesi, R.W. Adamiak and J. Chattopadhyaya, *Tetrahedron*, **55**, 6603-6622 (1999).
292. Diastereospecific synthesis of nucleosides-3',4',5',5''-*d*<sub>4</sub>.  
A. Trifonova, Z. Dinya, A. Földesi and J. Chattopadhyaya, *Tetrahedron*, **55**, 4747 (1999).
291. How kinetically accessible is an RNA target for hybridization with an antisense oligo? A lesson from an RNA target which is as small as a 20mer.  
N. Puri and J. Chattopadhyaya, *Tetrahedron*, **55**, 1505 (1999).
290. Measurement of the Deuterium Relaxation Times in Double-labelled (<sup>13</sup>C/<sup>2</sup>H) thymidine and 2'-deoxyadenosine as well as in selectively labelled DNA duplex: 5'-d(<sup>1</sup>C<sup>2</sup>G<sup>3</sup>A<sup>4</sup>T<sup>5</sup>T<sup>6</sup>A<sup>7</sup>A<sup>8</sup>T<sup>9</sup>C<sup>10</sup>G)<sub>2</sub>-3'.  
T.V. Maltseva, A. Földesi and J. Chattopadhyaya. *Magnetic Resonance in Chemistry*, **37**, 203-213 (1999).

## 1998

289. Measurement of T<sub>1</sub> relaxation rates of natural abundant <sup>13</sup>C at C2' in a non-uniformly deuterium labelled oligo-DNA.  
T.V. Maltseva, A. Földesi and J. Chattopadhyaya. *J.C.S. Perkin 2*, issue # 12, p2689 (1998).
288. Partially-deuterated Oligo-DNA reduces Overcrowding, Enhances Resolution and Sensitivity and Provide Improved NMR Constraints for Structure Elucidation of Oligo-DNA.  
T.V. Maltseva, A. Földesi and J. Chattopadhyaya, *Tetrahedron* **54**, 14515-14528 (1998).
287. Synthesis of partially-deuterated 2'-deoxynucleoside blocks and their incorporation into oligo-DNA for simplification of overcrowding, and selective enhancement of resolution and sensitivity in the <sup>1</sup>H-NMR spectra.  
A. Földesi, T.V. Maltseva and J. Chattopadhyaya, *Tetrahedron* **54**, 14487-14514 (1998).
286. Synthesis of Phenazine-tethered Arabino and Xylofuranosyl Oligonucleotide Conjugates: The thermal Stability and Fluorescence Properties of their Duplexes (DNA-DNA & DNA-RNA) and Triplexes.  
E. Zamaratski and J. Chattopadhyaya, *Tetrahedron*, **54**, 8183 (1998).
285. Synthesis of 1'-Phenazine-tethered Psicofuranosyl Containing Oligonucleotides: The thermal Stability and Fluorescence Properties of their Duplexes and Triplexes.  
D. Ossipov and J. Chattopadhyaya, *Tetrahedron*, **54**, 5667 (1998).
284. NMR Conformation of (-)-β-D-Aristeromycin and its 2'-deoxy and 3'-deoxy counterparts in aqueous solution.  
C. Thibaudeau, S. Bekiroglu, A. Kumar, A. Matsuda, V. Marquez and J. Chattopadhyaya. *J. Org. Chem.* **63**, 5447 (1998).
283. The 5'-Purine-Pyrimidine-3'/3'-Pyrimidine-Purine-5' stacks are more stabilizing in self-complementary DNA duplex than the 5'-Purine-Purine-3'/3'-Pyrimidine-Pyrimidine-5' stack.  
D. Ossipov, E. Zamaaratski and J. Chattopadhyaya, *Nucleosides & Nucleotides* **17** (9-11), 1613-1616 (1998).

282. Pseudorotation of the sugar moiety in pyrimidine nucleosides occurs in the same time scale as the overall tumbling:  $^2\text{H}$ -NMR relaxation time study.  
J. Plavec and J. Chattopadhyaya, *Magnetic Resonance in Chemistry* **36**, 732-740 (1998).
281. A New Generalized Karplus-type Equation Relating Vicinal Proton-Fluorine Coupling Constants to H-C-C-F torsion.  
C. Thibaudeau, J. Plavec and J. Chattopadhyaya, *J. Org. Chem* **63**, 4967 (1998).
280. The Solution Conformation of a Carbocyclic Analog of Dickerson-Drew Dodecamer, Its Comparison with its X-ray Structure and the NMR Structure of the Native Counterpart.  
A. Y. Denisov, S. Bekiroglu, T. V. Maltseva, A. Sandström, K.-H. Altmann, M. Egli, and J. Chattopadhyaya, *J. Biomolecular Structure & Dynamics*, Vol 16, #3, 547-568 (1998).
279. The Residence Time of the Bound Water in the Hydrophobic minor Groove of the Carbocyclic-Nucleoside Analogs of Drew-Dickerson Dodecamers.  
T.V. Maltseva, K.-H. Altman, M. Egli and J. Chattopadhyaya, *J. Biomolecular Structure & Dynamics*, Vol 16, #3, 569-578 (1998).
278. The information transmission from the nucleobase drives the sugar-phosphate backbone conformation in the nucleotide wire.  
C. Thibaudeau and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **17** (9-11), 1589-1604 (1998).
277. The electronic nature of the aglycone dictates the drive of the pseudorotational equilibrium of the pentofuranose moiety in C-nucleosides.  
I. Luyten, J. Matulic-Adamic, L. Beigelman and J. Chattopadhyaya, *Nucleosides & Nucleotides* **17** (9-11), 1605-1612 (1998).
276. Elucidation of the origin of nOes and rOes that show the hydration in the minor and major groove of DNA duplex with ATTAAT tract by NOESY and ROESY experiments.  
T. V. Maltseva, P. Roselt and J. Chattopadhyaya, *Nucleosides & Nucleotides* **17** (9-11), 1617-1634 (1998).
275.  $T_1$  and  $T_2$  relaxation times of the  $^{13}\text{C}$  nuclei of deuterium-labeled nucleosides.  
T.V. Maltseva, A. Földesi and J. Chattopadhyaya *Magnetic Resonance in Chemistry*, **36**, 227 (1998).
274. The quantitation of the competing energetics of the stereoelectronic and steric effects of the 3'-OH and the aglycone in the  $\alpha$ - versus  $\beta$ -D- & -L-2'-deoxy ribonucleosides by  $^1\text{H}$ -NMR.  
C. Thibaudeau, A. Földesi and J. Chattopadhyaya, *Tetrahedron* **54**, 1867 (1998).
273. Determination of the tautomeric equilibrium of  $\psi$ -uridine in the basic solution.  
I. Luyten, K.W. Pankiewicz, K.A. Watanabe and J. Chattopadhyaya, *J. Org. Chem.* **63**, 1033-1040 (1998).
- 1997**
272. The strength of the anomeric effect in adenosine, guanosine and in their 2'-deoxy counterparts is medium-dependent  
I. Luyten, C. Thibaudeau and J. Chattopadhyaya, *J. Org. Chem.* **62**, 8800 (1997).
271. The NMR structure of estrone (Es)-tethered tandem DNA duplex:  $[\text{d}(5'\text{pCAGCp3}')\text{-Es}] + [\text{Es-d}(5'\text{pTCCA3}')]$  :  $\text{d}(5'\text{TGGAGCTG3}')$ .  
A. Y. Denisov, A. Sandström, T. V. Maltseva and J. Chattopadhyaya, *J. Biomolecular Structure & Dynamics*, **15** (3), 499 (1997).
270. Cyclic phosphorylating and phosphorylating agents: Reactivity and utility in the synthesis of biophosphates.  
N. Puri, C. Sund and J. Chattopadhyaya, "Ugi-symposium - Multikomponenten-Reaktionen (22.9.1995)", p. 55-78 (1997); Ed. H. Eckert, Bull from Dept of Org Chem, Tech. Univ. Munich. Germany.
269. Synthesis of 5'-polyarene-tethered oligo-DNAs and the thermal stability and spectroscopic properties of their duplexes and triplexes.  
N. Puri, E. Zamaratski, C. Sund and J. Chattopadhyaya, *Tetrahedron*, **53**, 10409 (1997).
268. The first experimental evidence for a larger medium-dependent flexibility of natural  $\beta$ -D-nucleosides compared to the  $\alpha$ -D-nucleosides.  
C. Thibaudeau, A. Földesi and J. Chattopadhyaya, *Tetrahedron*, **53**, 14043 (1997).
267. The determination of the ionization constants of C-nucleosides.  
I. Luyten, C. Thibaudeau and J. Chattopadhyaya, *Tetrahedron*, **53**, 6903 (1997).
266. The tunable transmission of the aromatic character of the aglycone through the anomeric effect in C-nucleosides drives its own sugar conformation: a thermodynamic study.  
I. Luyten, C. Thibaudeau, A. Sandström and J. Chattopadhyaya, *Tetrahedron*, **53**, 6433 (1997).
265. MCR III. Multicomponent reactions and their Libraries. A New type of Organic Chemistry of the Isocyanides and Phosphorus derivatives.  
J. Chattopadhyaya, A. Dömling, K. Lorenz, W. Ichter, I. Ugi and B. Werner, *Nucleosides & Nucleotides*, **16**, 843, (1997).
264. The chemistry of C-Branched spermine tethered oligo-DNA and their properties in forming duplexes and triplexes.  
C. Sund, N. Puri and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **16**, 755, (1997).
263. The Discovery of Intramolecular Stereoelectronic Forces That Drive the Sugar Conformation in Nucleosides and Nucleotides.  
C. Thibaudeau and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **16**, 523, (1997).
262. The application of Uppsala "NMR-window" concept for conformational analysis of biologically functional DNAs and RNAs by high-field NMR.  
A. Földesi, S.-I. Yamakage, F. P. R. Nilsson, T. V. Maltseva and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **16**, 517 (1997).
261. Determination of the solution conformation of a non-uniformly deuterium labelled (Uppsala "NMR-window") 21mer RNA hairpin by NMR spectroscopy and computational methods.  
A. Sandström, T. Maltseva and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **16**, 743 (1997).
- 1996**
260. 2',3'-Dideoxy-3'-nitrothymidine and 2'-propoxy-3'-nitrothymidine.

- S. Neidle, N. Hossain, A. Papchikhin and J. Chattopadhyaya, *Acta Cryst.*, **C52**, 3173-3177 (1996).
259. The Nature of Intramolecular stereoelectronic forces in nucleosides and nucleotides.  
J. Chattopadhyaya, *Nucl. Acids Res. Symposium Ser.*, **35**, 111-112 (1996).
258. Synthesis of C-Branched Spermine-tethered Oligo-DNA and the Thermal Stability of Duplexes and Triplexes.  
C. Sund, N. Puri and J. Chattopadhyaya, *Tetrahedron*, **52** (37), 12275-12290 (1996).
257. The NMR Structure of a 31mer RNA domain of *Escherichia coli* RNase P RNA using its non-uniformly deuterium labelled counterpart (The "NMR-window" concept)  
C. Glemarec, J. Kufel, T. Maltseva, A. Sandström, L. A. Kirsebom and J. Chattopadhyaya, *Nucl. Acids Res.*, **24** (11), 2022-2035 (1996).
256. The use of non-uniform deuterium labeling ("NMR-window") to study the NMR structure of a 21mer RNA hairpin.  
A. Földesi, S.-I. Yamakage, F. P. R. Nilson, T. V. Maltseva and J. Chattopadhyaya, *Nucl. Acids Res.*, **24** (7), 1187-1194 (1996).
255. How do the energetics of the stereoelectronic gauche and anomeric effects modulate the conformation of nucleos(t)ides?  
J. Plavec, C. Thibaudeau and J. Chattopadhyaya, *Pure Appl. Chem.*, **68** (11), 2137-2144 (1996).
254. Comparative Assessment of Structure and Reactivity of Wyosine by Chemistry, Spectroscopy and *ab initio* Calculations.  
J. Plavec and J. Chattopadhyaya, *Tetrahedron*, **52** (5), 1597-1608 (1996).
253. Quantitation of the pD Dependent Thermodynamics of the  $N \rightleftharpoons S$  Pseudorotational Equilibrium of the Pentofuranose Moiety in Nucleosides Gives a Direct Measurement of the Strength of the Tunable Anomeric Effect and the  $pK_a$  of the Nucleobase.  
C. Thibaudeau, J. Plavec and J. Chattopadhyaya, *J. Org. Chem.*, **61** (1), 266-286 (1996).
249. Base-pair exchange kinetics of the imino and amino protons of the 3'-phenazinium tethered RNA-DNA duplex:  
 $r(\text{}^5\text{GAUUGAA}^3)$   
 $d(\text{}^5\text{TCAATC}^3\text{-Pzn})$  and their comparison with those of B-DNA duplex.  
T. V. Maltseva, V. F. Zarytova and J. Chattopadhyaya, *J. Biochem. Biophys. Meth.*, **30** (1), 163-177 (1995).
248. Poor Hydration Enhances The Activation Energy of the Exchange Rate of the Base-paired Imino Protons with Water at the Core Part of DNA Duplex.  
T. V. Maltseva and J. Chattopadhyaya, *Tetrahedron*, **51** (18), 5501-5508 (1995).
247. The Synthesis and Reactivity of New 2-(*N,N*-Diisopropylamino)-3-Methylsulfonyl-1,3,2-Benzoxazaphospholes. The Utility of the 5-Chloro analogue in the One-Pot Synthesis of Oligothiophosphates: ( $\text{Ap}_s\text{ppA}$ ,  $\text{Ap}_s\text{pppA}$ ,  $\text{ppp5}'\text{A2}'\text{p}_s\text{5}'\text{A}$ ,  $\text{m}^7\text{Gp}_s\text{ppA}$ ,  $\text{Ap}_s\text{pppp}$ ,  $\text{Ap}_s\text{pp}$ ).  
N. Puri, S. Hünsch, C. Sund, I. Ugi and J. Chattopadhyaya, *Tetrahedron*, **51** (10), 2991-3014 (1995).
246. Specific interaction between HIV-1 proteinase and 5'-phosphate peptidomimetic derivatives of nucleoside analogues.  
U. Nillroth, Y. Besidsky, B. Claesson, J. Chattopadhyaya, I. Ugi and U. H. Danielson, *Drug Design and Discovery*, **13** (13), 43-54 (1995).
245. The Diastereospecific Synthesis of New 2',3'-*Cis*- $\alpha$ -Fused Carbocyclic Nucleosides.  
A. Papchikhin, P. Agback, J. Plavec and J. Chattopadhyaya, *Tetrahedron*, **51** (1), 329-342 (1995).
244. 2',3'-Dideoxy-3'-*C*,2'-*N*-((3*R*,5*R*)-5-ethoxy-carbonyl-2-methyl-1,2-isoxazolidine)-ribothymidine.  
B. M. Burkhart, A. Papchikhin, J. Chattopadhyaya and M. Sundaralingam, *Acta Cryst.*, **C51** (7), 1462-1464 (1995).
243. The use of 5'-phosphate derivatives of nucleoside analogues as inhibitors of HIV-1 replication.  
U. Nillroth, L. Vrang, G. Ahlsén, Y. Besidsky, J. Chattopadhyaya, I. Ugi and U. H. Danielson, *Antivir. Chem. Chemotherapy*, **6** (1), 50-64 (1995).

## 1994

252. The Interaction of the 2'-OH Group with the Vicinal Phosphate in Ribonucleoside 3'-ethylphosphates Drives the Sugar-Phosphate Backbone into Unique ( $S, \epsilon^-$ ) Conformational State.  
J. Plavec, C. Thibaudeau, G. Viswanadham, C. Sund, A. Sandström and J. Chattopadhyaya, *Tetrahedron*, **51** (43), 11775-11792 (1995).
251. Partially-deuterated Nucleotide Residues in Large DNA Duplex Simplify the Spectral Overlap and Provide both the J-coupling and nOe Informations by the "NMR-window" Approach.  
A. Földesi, S.-I. Yamakage, T. V. Maltseva, F. P. R. Nilson, P. Agback and J. Chattopadhyaya, *Tetrahedron*, **51** (36), 10065-10092 (1995).
250. Reparameterization of Karplus Equation Relating  $^3J_{C-C-O-P}$  to Torsion Angle.  
J. Plavec and J. Chattopadhyaya, *Tetrahedron Lett.*, **36** (11), 1949-1952 (1995).
242. The solution structure of a 3'-phenazinium (Pzn) tethered DNA-RNA duplex with a dangling adenosine:  
 $r(\text{}^5\text{GAUUGAA}^3)$   
 $d(\text{}^5\text{TCAATC}^3\text{-Pzn})$   
T. V. Maltseva, P. Agback, M. N. Repkova, A. G. Venyaminova, E. M. Ivanova, A. Sandström, V. F. Zarytova and J. Chattopadhyaya, *Nucl. Acids Res.*, **22** (25), 5590-5599 (1994).
241. The synthesis of lariat-RNAs and their conformational analysis by NMR spectroscopy: The study of their unique self-cleavage reaction modelling some catalytic RNAs (Ribozymes).  
C. Sund, B. Rouse, N. Puri, G. Viswanadham, P. Agback, A. Sandström, C. Glemarec, S.-I. Yamakage and J. Chattopadhyaya, *Bull. Soc. Chim. Belg.*, **103** (6), 591-617 (1994).
240. Remarkable Conformational Change Promoted by 3'-Ethylphosphate at the Branch-point of a Tetrameric Lariat-RNA Dictates Its Self-cleavage Reaction Modelling Some Catalytic RNAs (Ribozymes)

- B. Rousse, C. Sund, C. Glemarec, A. Sandström, P. Agback and J. Chattopadhyaya, *Tetrahedron*, **50** (29), 8711-8736 (1994).
239. Quantitation of Anomeric Effect in Adenosine and Guanosine by Comparison of the Thermodynamics of the Pseudorotational Equilibrium of the Pentofuranose Moiety in *N*- and *C*-Nucleosides.  
C. Thibaudeau, J. Plavec and J. Chattopadhyaya, *J. Am. Chem. Soc.*, **116** (18), 8033-8037 (1994).
238. How Does the 2'-Hydroxy Group Drive the Pseudorotational Equilibrium in Nucleoside and Nucleotide by the Tuning of the 3'-Gauche Effect?  
J. Plavec, C. Thibaudeau and J. Chattopadhyaya, *J. Am. Chem. Soc.*, **116** (15), 6558-6560 (1994).
237. New Diastereospecific Synthesis of 2',3'-Dideoxy-2'- or 3'-*C*<sub>2</sub>-branched- or 2',3'- $\alpha$ -fused-isoxazolidine Nucleosides Directly from the Seconucleoside.  
A. Papchikhin and J. Chattopadhyaya, *Tetrahedron*, **50** (17), 5279-5286 (1994).
236. The synthesis of New 3'-bis-*C*-substituted-3'-Deoxy-3'-Dehydro-[3.3.0]- $\alpha$ -fused Thymidines by Intramolecular Radical Trapping by Tethered Acetylenes.  
N. Garg, N. Hossain and J. Chattopadhyaya, *Tetrahedron*, **50** (17), 5273-5278 (1994).
235. The differences in the T<sub>2</sub> relaxation rates of protons in partially-deuteriated and fully protonated sugar residues in a large oligo-DNA ("NMR-window") gives complementary structural information.  
P. Agback, T. V. Maltseva, S.-I. Yamakage, F. P. R. Nilson, A. Földesi and J. Chattopadhyaya, *Nucl. Acids Res.*, **22** (8), 1404-1412 (1994).
234. The synthesis and conformation of 2'- and 3'-hypermodified tricyclic nucleosides and their use in the synthesis of novel 2'- or 3'-isomeric 4(7)-substituted isoxazolidine nucleosides.  
J. Rong, P. Roselt, J. Plavec and J. Chattopadhyaya, *Tetrahedron*, **50** (16), 4921-4936 (1994).
233. Diastereospecific Synthesis of 2'- or 3'-*C*-Branched Nucleosides through Intramolecular Free-radical Capture by Silicon-tethered Acetylene.  
Z. Xi, J. Rong and J. Chattopadhyaya, *Tetrahedron*, **50** (17), 5255-5272 (1994).
232. New Synthesis of 3'-*C*-substituted-3'-Nitromethyl-*ribo*-Thymidines.  
N. Garg, N. Hossain, J. Plavec and J. Chattopadhyaya, *Tetrahedron*, **50** (14), 4167-4178 (1994).
231. How Does the Electronegativity of the Substituent Dictate the Strength of the Gauche Effect?  
C. Thibaudeau, J. Plavec, N. Garg, A. Papchikhin and J. Chattopadhyaya, *J. Am. Chem. Soc.*, **116** (9), 4038-4043 (1994).
230. How Does the 3'-Phosphate Drive the Sugar Conformation in DNA?  
J. Plavec, C. Thibaudeau, G. Viswanadham, C. Sund and J. Chattopadhyaya, *J. Chem. Soc. Chem. Comm.*, 781-783 (1994).
229. Synthesis and Phosphorylating Properties of 2-Chloro-2,3-dihydro-3-methanesulfonyl-1,3,2-benzoxazaphosphole-2-Oxide Derivatives with Chloro Substituents on the Benzene Ring.  
S. Hünsch, W. Richter, I. Ugi and J. Chattopadhyaya, *Liebigs Ann. Chem.*, 269-275 (1994).
228. How do the Aglycones drive the Pseudorotational Equilibrium of the Pentofuranose Moiety in *C*-Nucleosides?  
C. Thibaudeau, J. Plavec, K. A. Watanabe and J. Chattopadhyaya, *J. Chem. Soc. Chem. Comm.*, 537-540 (1994).
227. Synthetic and conformational studies of branched and lariat RNAs. Modelling the lariat formed in the splicing reaction - A critical review.  
C. Sund, C. Glemarec and J. Chattopadhyaya, *Proc. Indian Acad. Sci.*, (Chemical Sciences), special issue in Bioorganic Chemistry, **106** (5), 1023-1050 (1994).
226. Solution Conformation of Lariat-RNAs and their Self-Cleavage Reactions  
P. Agback, C. Glemarec, A. Sandström, L. Yin, J. Plavec, C. Sund, S.-I. Yamakage, G. Viswanadham, B. Rousse, N. Puri and J. Chattopadhyaya, in "*Structural Biology: State of the Art 1993, Proceedings of the 8th Conversations*", Eds. R. H. Sarma and M. H. Sarma, Adenine Press, New York, 1994, p. 293-338.
225. Solution Conformation of Hexameric & Heptameric Lariat-RNAs and their Self-Cleavage Reactions Which Give Products Mimicking Those From Some Catalytic RNAs (Ribozymes)  
B. Rousse, N. Puri, G. Viswanadham, P. Agback, C. Glemarec, A. Sandström, C. Sund and J. Chattopadhyaya, *Tetrahedron*, **50** (6), 1777-1810 (1994).

## 1993

224. Deuteration of Sugar Protons Simplify NMR Assignments and Structure Determination of Large Oligonucleotide by the <sup>1</sup>H-NMR window approach.  
S.-I. Yamakage, T. V. Maltseva, F. P. Nilsson, A. Földesi and J. Chattopadhyaya, *Nucl. Acids Res.*, **21** (22), 5005-5011 (1993).
223. New Synthesis of 2',3'-Dideoxy-2',3'-Didehydro-3'-*C*-Substituted Thymidines.  
N. Hossain, N. Garg and J. Chattopadhyaya, *Tetrahedron*, **49** (44), 10061-10068 (1993).
222. Synthesis of 2'- and 3'-Spiro-isoxazolidine Derivatives of Thymidine and Their Conversions to 2',3'-dideoxy-2',3'-didehydro-2'- or 3'-*C*-substituted nucleosides by radical promoted fragmentation.  
N. Hossain, A. Papchikhin, J. Plavec and J. Chattopadhyaya, *Tetrahedron*, **49** (44), 10133-10156 (1993).
221. Diels-Alder Reaction of 2',3'-Unsaturated-3'-Nitro-Thymidine. First Chemical Evidence of Nitroxide Radical Formation in the Radical-Promoted Denitration Reaction.  
N. Hossain, J. Plavec, C. Thibaudeau and J. Chattopadhyaya, *Tetrahedron*, **49** (40), 9079-9088 (1993).
220. Direct estimation of base-pair exchange kinetics in oligo-DNA by a combination of NOESY and ROESY experiments.  
T. V. Maltseva, S.-I. Yamakage, P. Agback and J. Chattopadhyaya, *Nucl. Acids Res.*, **21** (18), 4288-4295 (1993).
219. How much hydration is necessary for the stabilisation of DNA-duplex?  
T. V. Maltseva, P. Agback and J. Chattopadhyaya, *Nucl. Acids Res.*, **21** (18), 4246-4252 (1993).
218. The Self-cleavage of Lariat-RNA.  
P. Agback, C. Glemarec, L. Yin, A. Sandström, J. Plavec, C. Sund, S.-I. Yamakage, G. Viswanadham, B. Rousse, N. Puri

- and J. Chattopadhyaya, *Tetrahedron Lett.*, **34** (24), 3929-3932 (1993).
217. How does the Steric Effect drive the Sugar Conformation in the 3'-C-branched Nucleosides?  
J. Plavec, N. Garg and J. Chattopadhyaya, *J. Chem. Soc. Chem. Comm.*, pp1011-1014 (1993).
216. New Synthesis of C-Substituted Nucleosides.  
N. Garg, J. Plavec and J. Chattopadhyaya, *Tetrahedron*, **49** (23), 5189-5202 (1993).
215. Synthesis of 2',3'-*cis*-Fused Pyrrolidino-β-D-nucleosides and Their Conformational Analysis by 500 MHz <sup>1</sup>H-NMR.  
Z. Xi, C. Glemarec and J. Chattopadhyaya, *Tetrahedron*, **49** (34), 7525-7546 (1993).
214. Solution and Solid State Structure of 2',5'-Bis-(*O*-Trityl)-3'-Oximinouridine.  
A. Papchikhin, P. Agback, S. Neidle and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **12** (6), 605-614 (1993).
213. How Do the *Gauche* and Anomeric Effects Drive the Pseudorotational Equilibrium of the Pentofuranose Moiety of Nucleosides?  
J. Plavec, W. Tong and J. Chattopadhyaya, *J. Am. Chem. Soc.*, **115** (21), 9734-9746 (1993).
212. Structural studies of the 5'-phenazinium-tethered matched and G-A mismatched DNA duplexes by NMR spectroscopy.  
T. Maltseva, A. Sandström, I. M. Ivanova, D. S. Sergeev, V. F. Zarytova and J. Chattopadhyaya, *J. Biochem. Biophys. Meth.*, **26**, 173-236 (1993).
211. [4+2] and [3+2] Cycloaddition Reactions of 2',3'-Dideoxy-3'-nitro-2',3'-Didehydrothymidine With Ethyl Vinyl Ether.  
A. Papchikhin, P. Agback, J. Plavec and J. Chattopadhyaya, *J. Org. Chem.*, **58** (10), 2874-2879 (1993).
210. Synthesis of 2',3'-Dideoxy-3'-Nitro-2',3'-Didehydrothymidine. Its use as a general intermediate for the preparation of various 2',3'-substituted nucleosides.  
N. Hossain, A. Papchikhin, N. Garg, I. Federov and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **12** (5), 499-528 (1993).
209. Solution structure of lariat RNA by 500 MHz NMR spectroscopy and molecular dynamics studies in water.  
P. Agback, A. Sandström, S.-I. Yamakage, C. Sund, C. Glemarec and J. Chattopadhyaya, *J. Biochem. Biophys. Meth.*, **27**, 229-259 (1993).
208. Conformational Studies of Thymidine Dimers Containing Sulfonate and Sulfonamide Linkages by NMR Spectroscopy.  
C. Glemarec, R. C. Reynolds, P. A. Crooks, J. A. Maddry, M. S. Akhtar, J. A. Montgomery, J. A. Secrist III and J. Chattopadhyaya, *Tetrahedron*, **49** (11), 2287-2298 (1993).
207. NMR spectroscopic properties (<sup>1</sup>H at 500 MHz) of deuterated\* ribonucleotide-dimers, ApU\*, GpC\*, partially deuterated 2'-deoxyribonucleotide-dimers d(TpA\*), d(ApT\*), d(GpC\*) and their comparison with natural counterparts (<sup>1</sup>H-NMR window).  
A. Földesi, F. P. R. Nilsson, C. Glemarec, C. Gioeli and J. Chattopadhyaya, *J. Biochem. Biophys. Meth.*, **26**, 1-26 (1993).
206. Synthesis of Heptameric Lariat-RNA Modelling the Lariat Introns of Group II and Nuclear Pre-mRNA Processing Reaction (Splicing).  
C. Sund, P. Agback and J. Chattopadhyaya, *Tetrahedron*, **49** (3), 649-668 (1993).
205. Synthesis of Diastereomerically Pure 4'-Alkoxy-α-L- & β-D-nucleosides and their Conformational Analysis by 500 MHz <sup>1</sup>H-NMR Spectroscopy.  
W. Tong, P. Agback and J. Chattopadhyaya, *Acta Chem. Scand.*, **47**, 145-156 (1993).
204. Conformational studies on some C1'-Branched β-D-nucleosides by <sup>1</sup>H-NMR spectroscopy and molecular mechanics calculations.  
J. Plavec, V. Fabre-Buet, V. Uteza, A. Grouiller and J. Chattopadhyaya, *J. Biochem. Biophys. Meth.*, **26**, 317-334 (1993).

## 1992

203. Synthesis of 1<sup>#</sup>,2',3',4<sup>#</sup>,5',5"-<sup>2</sup>H<sub>6</sub>-β-D-ribonucleosides and 1<sup>#</sup>,2',2",3',4<sup>#</sup>,5',5"-<sup>2</sup>H<sub>7</sub>-β-D-2'-deoxyribonucleosides for Selective Suppression of Proton Resonances in Partially-deuterated Oligo-DNA, Oligo-RNA and in 2,5A core (<sup>1</sup>H-NMR window).  
A. Földesi, F. P. R. Nilsson, C. Glemarec, C. Gioeli and J. Chattopadhyaya, *Tetrahedron*, **48** (41), 9033-9072 (1992).
202. Solution Structures of Nonameric and Decameric Branched-RNA Modelling the Lariat of Group II and Nuclear pre-mRNA Introns (Splicing) by 500 MHz NMR Spectroscopy.  
P. Agback, C. Glemarec, C. Sund and J. Chattopadhyaya, *Tetrahedron*, **48** (31), 6537-6554 (1992).
201. Conformation of Two 4'-Thio-2'-deoxynucleoside Analogs Studied by 500 MHz <sup>1</sup>H-NMR Spectroscopy and X-ray Crystallography.  
L. H. Koole, J. Plavec, H. Liu, B. R. Vincent, M. R. Dyson, P. L. Coe, R. W. Walker, G. W. Hardy, S. G. Rahim and J. Chattopadhyaya, *J. Am. Chem. Soc.*, **114**, 9936-9943 (1992).
200. New Stereocontrolled Synthesis of Isomeric C-Branched-β-D-Nucleosides by Intramolecular Free-radical Cyclization-Opening Reactions Based on Temporary Silicon Connection.  
Z. Xi, P. Agback, J. Plavec, A. Sandström and J. Chattopadhyaya, *Tetrahedron*, **48** (2), 349-370 (1992).
199. Structural analysis of 2',3'-dideoxyinosine, 2',3'-dideoxyadenosine, 2',3'-dideoxyguanosine, and 2',3'-dideoxycytidine by 500 MHz <sup>1</sup>H-NMR spectroscopy and ab-initio molecular orbital calculations.  
J. Plavec, L. H. Koole and J. Chattopadhyaya, *J. Biochem. Biophys. Meth.*, **25**, 253-272 (1992).
198. Assessment of Competing 2' → 5' versus 3' → 5' Stackings in Solution Structure of Branched-RNA by <sup>1</sup>H- & <sup>31</sup>P-NMR Spectroscopy.  
C. Sund, P. Agback, L. H. Koole, A. Sandström and J. Chattopadhyaya, *Tetrahedron*, **48** (4), 695-718 (1992).
197. Structural Properties of Four Isomeric C2'/C3' Modified Uridines.  
L. H. Koole, J.-C. Wu, S. Neidle and J. Chattopadhyaya, *J. Am. Chem. Soc.*, **114**, 2687-2696 (1992).
196. Etudes structurales relatives à un nucléoside psicofuranosique, agendr potentiel antiviral.  
V. Buet, A. Grouiller and J. Chattopadhyaya, *J. Pharm. Belg.*, **47**(4), 381-3 (1992)



## 1991

195. Synthesis of branched nona- and deca-RNA modelling the lariat formed in pre-mRNA processing reactions (splicing). C. Sund, P. Agback and J. Chattopadhyaya, *Nucleic Acids Symposium Ser.*, **24**, 9-12 (1991).
194. Synthesis of Furo[2,3-c]pyran- $\beta$ -D-Nucleosides by Radical-Cyclization & their Conformational Analysis by 500 MHz  $^1$ H-NMR Spectroscopy. Z. Xi, P. Agback, A. Sandström and J. Chattopadhyaya, *Tetrahedron*, **47** (46), 9675-9690 (1991).
193. Synthesis of Tetrameric Cyclic Branched-RNA (Lariat) Modelling the Introns of Group II and Nuclear Pre-mRNA Processing Reaction (Splicing). C. Sund, P. Agback and J. Chattopadhyaya, *Tetrahedron*, **47** (46), 9659-9674 (1991).
192. Comparative Structural Studies of [3.1.0]-Fused 2',3'-Modified  $\beta$ -D-Nucleosides by X-ray Crystallography, NMR Spectroscopy, and Molecular Mechanics Calculations. L. H. Koole, S. Neidle, M. D. Crawford, A. A. Krayevski, G. V. Gurskaya, A. Sandström, J.-C. Wu, W. Tong and J. Chattopadhyaya, *J. Org. Chem.*, **56** (24), 6884-6892 (1991).
191. N<sup>2</sup>,3-Ethenoguanosine and 1A'-Metamorphosine:  $^{15}$ N NMR Spectroscopy and Elucidation of Physico-chemical Properties by Kinetic and Equilibrium Measurements. C. Glemarec, Y. Besidsky, J. Chattopadhyaya, J. Kusmirek, M. Lahti, M. Oivanen and H. Lönnberg, *Tetrahedron*, **47** (33), 6689-6704 (1991).
190. Synthesis of Tetrameric Branched RNA-DNA Conjugate & Branched-RNA Analogue & Their Comparative Conformational Studies By 500 MHz NMR Spectroscopy. A. Földesi, P. Agback, C. Glemarec and J. Chattopadhyaya, *Tetrahedron*, **47** (34), 7135-7156 (1991).
189. Structural Studies of Anti-HIV 3'- $\alpha$ -Fluorothymidine & 3'- $\alpha$ -Azidothymidine By 500 MHz  $^1$ H-NMR Spectroscopy & Molecular Mechanics (MM2) Calculations. J. Plavec, L. H. Koole, A. Sandström and J. Chattopadhyaya, *Tetrahedron*, **47** (35), 7363-7376 (1991).
188. New Regiospecific Synthesis of Branched Tetra-, Nona-, and Deca-RNA Modelling the Lariat Formed in RNA Splicing Reactions. C. Sund, A. Földesi, S.-I. Yamakage, P. Agback and J. Chattopadhyaya, *Tetrahedron*, **47** (32), 6305-6336 (1991).
187. Structural Studies on 1-(1-deoxy- $\beta$ -D-psicofuranosyl) thymine. J. Plavec, V. Buet, A. Grouiller, L. H. Koole and J. Chattopadhyaya, *Tetrahedron*, **47** (30), 5847-5856 (1991).
186. Spectroscopic, Kinetic and Semiempirical Molecular Orbital Studies on 8-Amino-, 8-Methylamino- & 8-Dimethylamino-Adenosines. J. Hovinen, C. Glemarec, A. Sandström, C. Sund and J. Chattopadhyaya, *Tetrahedron*, **47** (26), 4693-4708 (1991).
185. Solution Structure of Pentameric and Heptameric Branched-RNA Modelling the Lariat Structure of Group II or Nuclear m-RNA Introns Studied by One- and Two-dimensional NMR Spectroscopy at 500 MHz. L. H. Koole, P. Agback, C. Glemarec, X.-X. Zhou and J. Chattopadhyaya, *Tetrahedron*, **47** (18/19), 3183-3206 (1991).
184. Synthesis of new 2',3'-modified uridine derivatives from 2',3'-ene-2'-phenylselenonyl Uridine by Michael addition reactions. W. Tong, Z. Xi, C. Gioeli and J. Chattopadhyaya, *Tetrahedron*, **47** (20/21), 3431-3450 (1991).
183. Solution Structure of Branched  $U_{3'}p_5'A_{2'}p_5'G_{3'}p_5'C$  and its Comparison with  $A_{3'}p_5'U_{2'}p_5'G$  by 500 MHz NMR Spectroscopy. C. Glemarec, M. Jaseja, A. Sandström, L. H. Koole, P. Agback and J. Chattopadhyaya, *Tetrahedron*, **47** (20/21), 3417-3430 (1991).
182. Intramolecular Cyclization-Trapping of Carbon Radicals by Olefins as means to Functionalize 2'- and 3'-carbons in  $\beta$ -D-nucleosides. J.-C. Wu, Z. Xi, C. Gioeli and J. Chattopadhyaya, *Tetrahedron*, **47** (12/13), 2237-2254 (1991).

## 1990

181. Synthesis of new 2',3'-dideoxy-2',3'- $\alpha$ -fused-heterocyclic uridines, & some 2',3'-ene-2'-substituted uridines from easily accessible 2',3'-ene-3'-phenylselenonyl uridine. W. Tong, J.-C. Wu, A. Sandström and J. Chattopadhyaya, *Tetrahedron*, **46** (8), 3037-3060 (1990).
180. A comparative conformational study of thymidylyl (3'  $\rightarrow$  5')thymidine, thymidylyl(3'  $\rightarrow$  5')-5'-thio-5'-deoxy thymidine, & thymidinylacetamido-[3'(O) $\rightarrow$ 5'(C)]-5'-deoxythymidine by NMR spectroscopy. C. Glemarec, A. Nyilas, C. Sund and J. Chattopadhyaya, *J. Biochem. Biophys. Meth.*, **21**, 311-332 (1990).
179. A New Stereospecific Synthesis of [3.1.0] bicyclic Cyclopropano analog of 2',3'-dideoxyuridine. J.-C. Wu and J. Chattopadhyaya, *Tetrahedron*, **46** (7), 2587-2592 (1990).
178. Synthesis of [3'(O) $\rightarrow$ 5'(C)]-oxyacetamido linked Nucleosides. A. Nyilas, C. Glemarec and J. Chattopadhyaya, *Tetrahedron*, **46** (6), 2149-2164 (1990).
177. Structure of a hepatotoxic pentapeptide from the cyanobacterium *Nodularia spumigena*. A. Sandström, C. Glemarec, J. A. O. Meriluoto, J. E. Eriksson and J. Chattopadhyaya, *Toxicon*, **28** (5), 535-540 (1990).
176. Why Does an Intron Form a Lariat Before the Ligation of 5'- and 3'-Exons in Group II & Nuclear mRNA Splicing? Conformations of Branched Ribonucleotides Modelling the Lariat Intron. G. Remaud, J.-M. Vial, N. Balgobin, L. H. Koole, A. Sandström, A. F. Drake, X.-X. Zhou, C. Glemarec and J. Chattopadhyaya, in "Structure and Methods, Volume 3: DNA & RNA", Eds. R. H. Sarma and M. H. Sarma, Adenine Press, New York, 1990, p. 319-337.
175. A new synthesis of 1-(2,3-dideoxy- $\beta$ -D-glycero-pent-2-enofuranosyl)-thymine. A highly potent and selective anti-HIV agent. J.-M. Vial, P. Agback and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **9** (2), 245-258 (1990).
174. Synthesis of 2'- and 3'-amino substituted uridine, thymidine and adenosine, and their inhibitions of HIV replication.

J.-M. Vial, N. G. Johansson, L. Vrang and J. Chattopadhyaya, *Antivir. Chem. Chemotherapy*, **1** (3), 183-202 (1990).

### 1989

173. Intra- and intermolecular nucleophilic phosphorous-sulfur bond cleavage. The reaction of fluoride ion with *O*-aryl-*O*,*S*-dialkylphosphorothioates and the degradation of phosphorothioate linkage in *di*-ribonucleotides by vicinal 2'-hydroxyl group.  
C. Sund and J. Chattopadhyaya, *Tetrahedron*, **45** (23), 7523-7544 (1989).
172. Synthetic and high-field NMR study of branched tri-, tetra-, penta-, and heptaribonucleotides modelling the lariat-intron in group II splicing.  
X.-X. Zhou, J.-M. Vial, A. Sandström, G. Remaud, L. H. Koole and J. Chattopadhyaya, *Nucl. Acids Res. Symposium Ser.*, **21**, 127-128 (1989).
171. Michael addition reactions of  $\alpha,\beta$ -ene-3'-phenylselenone of uridine. New synthesis of 2',3'-dideoxy-*ribo*-aziridino, 2',3'-dideoxy-2', 3'-*ribo*-cyclopropyl- & 2,2'-*O*-anhydro-3'-deoxy-3'-amino uridine derivatives.  
J.-C. Wu and J. Chattopadhyaya, *Tetrahedron*, **45** (14), 4507-4522 (1989).
170. A Comparative High-field N.M.R. Study on Tri-, Tetra-, Penta-, and Hepta-mer Ribonucleotides modelling the Branch Site of Group II and Nuclear Messenger RNA spliced Lariat Introns.  
L. H. Koole, G. Remaud, X.-X. Zhou, H. M. Buck and J. Chattopadhyaya, *J. Chem. Soc. Chem. Comm.*, 859-861 (1989).
169. The effect of metal ion complex formation on acidic depurination of 2'-deoxyadenosine and 2'-deoxyguanosine.  
J. Arpalahiti, R. Käppi, J. Hovinen, H. Lönnberg and J. Chattopadhyaya, *Tetrahedron*, **45** (12), 3945-3954 (1989).
168. Determination of the tautomeric populations of the Y-base.  
C. Glemarec, G. Remaud and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **8** (8), 1513-1517 (1989).
167. Synthesis of "branched" trinucleotide using the H-phosphonate chemistry.  
A. Földesi, N. Balgobin and J. Chattopadhyaya, *Tetrahedron Lett.*, **30** (7), 881-884 (1989).
166. Structure and Toxicity of a Peptide Hepatotoxin from the Cyanobacterium *Oscillatoria agardhii*.  
J. A. O. Meriluoto, A. Sandström, J. E. Eriksson, G. Remaud, A. G. Craig and J. Chattopadhyaya, *Toxicon*, **27** (9), 1021-1034 (1989).
165. New synthesis of 2',3'-dideoxy-3'-*C*-cyano-2'-substituted thymidines by Michael addition reactions.  
J.-C. Wu and J. Chattopadhyaya, *Tetrahedron*, **45** (3), 855-862 (1989).
164. Synthesis of branched oligoribonucleotides ("lariat").  
N. Balgobin, X.-X. Zhou, J.-M. Vial, A. Nyilas, A. Földesi and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **8** (5 & 6), 793-797 (1989).
163. Why Do All Lariat RNA Introns Have Adenosine as the Branch Point Nucleotide? Conformational Studies on the Implication of the Branch-Point Modification by Guanine, Uracil or Cytosine in the Naturally-Occurring Branched Tetranucleotide by  $^1\text{H}$ - &  $^{31}\text{P}$ -NMR Spectroscopy.

G. Remaud, N. Balgobin, C. Glemarec and J. Chattopadhyaya, *Tetrahedron*, **45** (5), 1537-1548 (1989).

162. Why Do All Lariat RNA Introns Have Adenosine as the Branch-Point Nucleotide? Conformational Study of Naturally-Occurring Branched Trinucleotides and its eleven Analogues by  $^1\text{H}$ -,  $^{31}\text{P}$ -NMR and CD Spectroscopy.  
G. Remaud, N. Balgobin, A. Sandström, J.-M. Vial, L. H. Koole, H. M. Buck, A. F. Drake, X.-X. Zhou and J. Chattopadhyaya, *J. Biochem. Biophys. Meth.*, **18** (1), 1-36 (1989).
161. An analysis of the inhibition of replication of HIV and MULV by some 3' blocked pyrimidine analogues.  
H. Bazin, R. Datema, G. Remaud, A.-C. Ericson, G. Gilljam, N.-G. Johansson, J. Hansen, R. Koshida, K. Moelling, B. Öberg, G. Stening, L. Vrang, B. Wahren, J.-C. Wu and J. Chattopadhyaya, *Biochem. Pharmacology*, **38** (1), 109-119 (1989).
160. Synthesis and Conformation of 9-(3'-*C*-methyl- $\beta$ -*D*-xylofuranosyl)adenine and 3'-*C*-methyl adenosine.  
J.-M. Vial, L. H. Koole, H. M. Buck and J. Chattopadhyaya, *Acta Chem. Scand.*, **43**, 665-669 (1989).
159. Synthesis of Cytidylyl(3'  $\rightarrow$  5')cytidylyl(3'  $\rightarrow$  5')-(2')3'-*O*-[L $^{\alpha}$ -alanyl]adenosine.  
A. Nyilas, A. Földesi and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **8** (4), 557-567 (1989).

### 1988

158. A New Regiospecific Synthesis of "Branched" Tetraribonucleotide and Its Three Analogues to Delineate the Chemospecific Role of the "Branchpoint" Adenine Nucleotide in Splicing.  
N. Balgobin, A. Földesi, G. Remaud and J. Chattopadhyaya, *Tetrahedron*, **44** (22), 6929-6939 (1988).
157. New Regiospecific Synthesis of the "Branched" Tri-, Penta- & Hepta-Ribonucleic Acids which Are Formed as the "Lariat" in pre-mRNA Processing Reactions [Splicing].  
X.-X. Zhou, G. Remaud and J. Chattopadhyaya, *Tetrahedron*, **44** (20), 6471-6489 (1988).
156. New synthesis of 2',3'-dideoxy-2',3'-di-substituted and 2'-mono-substituted uridines and adenosines by Michael addition reactions.  
J.-C. Wu, T. Pathak, W. Tong, J.-M. Vial, G. Remaud and J. Chattopadhyaya, *Tetrahedron*, **44** (21), 6705-6722 (1988).
155. Fluorescence properties of Y-nucleoside derivatives.  
T. M. Nordlund, R. Rigler, C. Glemarec, J.-C. Wu, H. Bazin, G. Remaud and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **7** (5,6), 805-811 (1988).
154. On the structure and reactivity of Y-nucleoside (wyosine).  
C. Glemarec, J.-C. Wu, H. Bazin, G. Remaud, M. Oivanen and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **7** (5,6), 801-804 (1988).
153. Conformation of Lariat Structures Formed in the Splicing of pre-mRNA by NMR Spectroscopy.  
J.-M. Vial, X.-X. Zhou and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **7** (5-6), 827-830 (1988).
152. Arenesulfonylethoxycarbonyl- A Set of Amino Protecting Groups for DNA and RNA Synthesis.  
A. Nyilas, A. Földesi and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **7** (5-6), 787-793 (1988).

151. Temperature-dependent  $^{31}\text{P}$  N.M.R. Shifts to Assess the Conformations of Branched Tri- and Tetra-Nucleotides which are Formed as Lariats in the Splicing Reactions. A. Sandström, G. Remaud, J.-M. Vial, X.-X. Zhou, A. Nyilas, N. Balgobin and J. Chattopadhyaya, *J. Chem. Soc. Chem. Comm.*, 542-544 (1988).
150. Synthesis and Conformation of 2'→5' and 3'→5' Phosphodiester Linked "Branched" Triadenylates  $\text{A}_{3'p5'A}^{2'p5'A}$ . G. Remaud, X.-X. Zhou, B. Öberg and J. Chattopadhyaya, in "Reviews of Heteroatom Chemistry", Eds. S. Oae, MYU publishing Inc., Tokyo, 1988, p. 340-366.
149. Structure and reactivity of Wyosine (Y-nucleoside) and its derivatives. Chemical, Kinetic and spectroscopic studies. C. Glemarec, J.-C. Wu, G. Remaud, H. Bazin, M. Oivanen, H. Lönnberg and J. Chattopadhyaya, *Tetrahedron*, **44** (4), 1273-1290 (1988).
148. Synthesis and conformation of 1-(3'-C-methyl-2'-deoxy-β-D-xylofuranosyl)uracil and 9-(3'-C-methyl-2'-β-D-xylofuranosyl)adenine, two novel sugar-methylated nucleoside analogues. L. H. Koole, H.-M. Moody, H. M. Buck, A. Grouiller, H. Essadiq, J.-M. Vial and J. Chattopadhyaya, *Recl. Trav. Chim. Pays-Bas*, **107** (4), 343-346 (1988).
147. Distinction of  $^{15}\text{N}$  resonances based on differences in small  $^{15}\text{N}$ ,  $^1\text{H}$  coupling constants. An application of  $^1\text{H}$ -decoupled INEPT experiments. C. Glemarec, G. Remaud and J. Chattopadhyaya, *Magn. Reson. Chem.*, **26**, 307-310 (1988).
146.  $^{15}\text{N}$ -NMR spectra of wyosine (Y-nucleoside) triacetate and its 7-methyl congener. Chemical shifts and  $^{15}\text{N}$ ,  $^1\text{H}$  coupling constants. C. Glemarec, G. Remaud and J. Chattopadhyaya, *Magn. Reson. Chem.*, **26** (5), 435-438 (1988).
145. 270 MHz  $^1\text{H}$ -NMR Studies of Four "Branched" Tetraribonucleotides:  $\text{U}_{3'p5'A}^{2'p5'G}$ ,  $\text{U}_{3'p5'A}^{2'p5'G}$ ,  $\text{A}_{3'p5'A}^{2'p5'G}$  and  $\text{A}_{3'p5'A}^{2'p5'G}$  which are Formed as the Lariat Branch-Point in the pre-mRNA Processing Reactions (Splicing). X.-X. Zhou, A. Nyilas, G. Remaud and J. Chattopadhyaya, *Tetrahedron*, **44** (2), 571-589 (1988).
144. Lariat Formation in Splicing of pre-messenger RNA. Conformation and Base Stacking at the Lariat Branch Point Studied Using 500-MHz  $^1\text{H}$  NMR and CD Spectroscopy. L. H. Koole, N. Balgobin, H. M. Buck, W. H. A. Kuijpers, A. Nyilas, G. Remaud, J.-M. Vial and J. Chattopadhyaya, *Recl. Trav. Chim. Pays-Bas*, **107** (12), 663-667 (1988).
143. An assessment of electronic properties of pyrimidine and purine nucleosides by  $^{15}\text{N}$ -NMR spectroscopy. G. Remaud, C. J. Welch, X.-X. Zhou and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **7** (2), 167-179 (1988).
142. (7H)adenine is a better leaving-group than its (1H) isomer in the hydrolysis of purine nucleosides. G. Remaud, X.-X. Zhou, J. Chattopadhyaya, M. Oivanen and H. Lönnberg, *Finnish Chem. Lett.*, **14**, 143 (1987).
141. Kinetics and mechanism for the acidic hydrolysis of purine 2'-deoxyribonucleosides and their acyclic analogues. M. Oivanen, X.-X. Zhou, J. Chattopadhyaya and H. Lönnberg, *Finnish Chem. Lett.*, **14** (3-4), 141-144 (1987).
140. The influence of  $N^6$ -protecting groups on acid-catalyzed depurination of 2'-deoxyadenosine. G. Remaud, X.-X. Zhou, J. Chattopadhyaya, M. Oivanen and H. Lönnberg, *Nucl. Acids Res. Symposium Ser.*, **18**, 145-148 (1987).
139. Regiospecific synthesis of branched tetraribonucleotides,  $\text{U}_{3'p5'A}^{2'p5'G}$ ,  $\text{U}_{3'p5'A}^{2'p5'G}$ ,  $\text{A}_{3'p5'A}^{2'p5'G}$  and  $\text{A}_{3'p5'A}^{2'p5'G}$ . X.-X. Zhou, A. Nyilas, G. Remaud and J. Chattopadhyaya, *Tetrahedron*, **43** (20), 4685-4698 (1987).
138. The  $^{15}\text{N}$ -NMR spectroscopy of wyosine-triacetate and its congener. C. Glemarec, G. Remaud, H. Bazin, X.-X. Zhou and J. Chattopadhyaya, *Nucl. Acids Res. Symposium Ser.*, **18**, 73-76 (1987).
137. A 270 MHz  $^1\text{H}$ -NMR Study of Three "Branched" Ribonucleotides  $\text{A}_{3'p5'U}^{2'p5'U}$ ,  $\text{A}_{3'p5'G}^{2'p5'U}$  and  $\text{A}_{3'p5'G}^{2'p5'G}$ . The Importance of Being Branched with a 2'→5' Phosphodiester Bond in the pre-mRNA Processing Reactions (Splicing). J.-M. Vial, G. Remaud, N. Balgobin and J. Chattopadhyaya, *Tetrahedron*, **43** (17), 3997-4006 (1987).
136. A regio and stereoselective synthesis of 2',2'',3',4'-tetra-deuterio-2'-deoxynucleosides. T. Pathak and J. Chattopadhyaya, *Tetrahedron*, **43** (18), 4227-4234 (1987).
135. Some Studies on the Negative Ion Fast Atom Bombardment Mass Spectroscopy of Nucleic Acids. A. Sandström and J. Chattopadhyaya, *Nucl. Acids Res. Symposium Ser.*, **18**, 173-176 (1987).
134. The application of  $^{15}\text{N}$ -NMR spectroscopy in the problems of nucleoside and nucleotide chemistry. G. Remaud, X.-X. Zhou, C. J. Welch and J. Chattopadhyaya, *Nucl. Acids Res. Symposium Ser.*, **18**, 169-172 (1987).
133. Regiospecific synthesis of deuterium-labelled 2'-deoxyribonucleosides. J.-C. Wu, T. Pathak, H. Bazin and J. Chattopadhyaya, *Nucl. Acids Res. Symposium Ser.*, **18**, 21-24 (1987).
132. Syntheses of Branched Trinucleotides and Their Conformational Analysis by  $^1\text{H}$ -NMR Spectroscopy. J.-M. Vial, G. Remaud, N. Balgobin and J. Chattopadhyaya, *Nucl. Acids Res. Symposium Ser.*, **18**, 109-112 (1987).
131. A regiospecific synthesis of branched tetranucleotides:  $\text{U}_{3'p5'A}^{2'p5'G}$  and  $\text{U}_{3'p5'A}^{2'p5'G}$ . X.-X. Zhou, A. Nyilas and J. Chattopadhyaya, *Nucl. Acids Res. Symposium Ser.*, **18**, 93-96 (1987).
130. A versatile strategy for the  $\text{O}^4$ -protection and modification of the lactam function of uridine and uridylic acid.

- A. Nyilas, X.-X. Zhou, C. J. Welch and J. Chattopadhyaya, *Nucl. Acids Res. Symposium Ser.*, **18**, 157-160 (1987).
129. Conformational studies of 3'-C-methyl and 2'-C-methyl analogues of cordycepin.  
L. H. Koole, H. M. Buck, H. Bazin and J. Chattopadhyaya, *Tetrahedron*, **43** (13), 2989-2997 (1987).
128. An efficient synthesis of Y-nucleoside (Wyosine) by regiospecific methylation of N<sup>4</sup>-desmethylwyosine using organozinc reagent.  
H. Bazin, X.-X. Zhou, C. Glemarec and J. Chattopadhyaya, *Tetrahedron Lett.*, **28** (28), 3275-3278 (1987).
127. Phosphitylation of guanine or inosine bases during the preparation of nucleoside phosphoramidites. Isolation of model products as thiophosphoric amide derivatives and structure elucidation by <sup>15</sup>N-NMR spectroscopy.  
J. Nielsen, O. Dahl, G. Remaud and J. Chattopadhyaya, *Acta Chem. Scand.*, **B41**, 633-639 (1987).
126. The effect of protecting groups of the nucleobase and the sugar moieties on the acidic hydrolysis of glycosidic bond of 2'-deoxyadenosine: a kinetic and <sup>15</sup>N-NMR spectroscopic study.  
G. Remaud, X.-X. Zhou, M. Oivanen, H. Lönnberg and J. Chattopadhyaya, *Tetrahedron*, **43** (19), 4453-4461 (1987).
125. Regiospecific synthesis of 2-deoxy-2',2"-dideuterio nucleosides.  
J.-C. Wu, H. Bazin and J. Chattopadhyaya, *Tetrahedron*, **43** (10), 2355-2368 (1987).
124. Structural properties of modified deoxyadenosine structures in solution. Impact of *gauche* and anomeric effects on the furanose conformation.  
L. H. Koole, H. M. Buch, A. Nyilas and J. Chattopadhyaya, *Can. J. Chem.*, **65**, 2089-2094 (1987).
123. Acidic hydrolysis of 6-substituted 9-(2'-deoxy-β-D-erythro-pentofuranosyl)purines and their 9-(1-alkoxyethyl) counterparts: Kinetics and mechanism.  
M. Oivanen, H. Lönnberg, X.-X. Zhou and J. Chattopadhyaya, *Tetrahedron*, **43** (6), 1133-1140 (1987).
122. Enhancement of Molecular Ion Intensity of Nucleic Acids in Negative Ion Fast-atom Bombardment Mass Spectroscopy.  
A. Sandström and J. Chattopadhyaya, *J. Chem. Soc. Chem. Comm.*, 862-864 (1987).
121. A 270 MHz <sup>1</sup>H-NMR study of two "branched" ribonucleotides A<sub>3'p5'</sub><sup>2'p5'</sup>G and A<sub>3'p5'</sub><sup>2'p5'</sup>C which are products of pre-mRNA processing ("splicing") reactions.  
G. Remaud, J.-M. Vial, A. Nyilas, N. Balgobin and J. Chattopadhyaya, *Tetrahedron*, **43** (5), 947-958 (1987).
120. An <sup>15</sup>N-NMR studies of isomeric N<sup>1</sup> and N<sup>3</sup> substituted 7-methyl-10-oxo-9,10-dihydro-pyrimido[1,2-a]purines and 9-oxo-8,9-dihydro-5-alkyl-imidazo[1,2-a]purines in neutral and acidic medium.  
G. Remaud, J. Kjellberg, N. G. Johansson and J. Chattopadhyaya, *Tetrahedron*, **43** (2), 365-376 (1987).
119. Building Blocks for Oligonucleotide Syntheses with Uniformly Fragmentable β-Halogenated Protecting Groups.  
P. Lemmen, R. Karl, I. Ugi, N. Balgobin and J. Chattopadhyaya, *Z. Naturforsch.*, **42C**, 442-445 (1987).
118. Solid Phase Synthesis of DNA Under a Non-Depurinating Condition with a Base Labile 5'-Protecting Group (Fmoc) Using Phosphiteamidite Approach.  
N. Balgobin and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **6** (1-2), 461-463 (1987).
117. Inhibition of hepatitis B virus DNA polymerase by 3'-azido-3'-deoxythymidine-5'-triphosphate but not by its *threo* analogue.  
E. Nordenfeldt, B. Löfgren, J. Chattopadhyaya and B. Öberg, *J. Med. Virol.*, **22**, 231 (1987).
116. A Convergent Regiospecific Synthesis of the Lariat-trinucleotides A<sub>3'p5'</sub><sup>2'p5'</sup>G and A<sub>3'p5'</sub><sup>2'p5'</sup>C from a Q<sup>4</sup>-(2-Nitrophenyl)-Uridine Building Block.  
J.-M. Vial, N. Balgobin, G. Remaud, A. Nyilas and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **6**, (1-2), 209-227 (1987).
115. Some aspects of reactivity and protection of the imide functions of uridine and guanosine in nucleic acid synthesis.  
C. J. Welch, X.-X. Zhou, A. Nyilas, G. Remaud and J. Chattopadhyaya, in "*Biophosphates and Their Analogues-Synthesis, Structure, Metabolism and Activity*", Eds. K. S. Bruzik and W. J. Stec, Elsevier, Amsterdam, 1987, p. 107-126.
114. Different Patterns of Inhibition of Avian Myeloblastosis Virus Reverse Transcriptase Activity by 3'-Azido-3'-Deoxythymidine-5'-Triphosphate and Its *threo* Isomer.  
B. Eriksson, L. Vrang, H. Bazin, J. Chattopadhyaya and B. Öberg, *Antimicrobial Agents and Chemotherapy*, **31** (4), 600-604 (1987).
113. Inhibition of reverse transcriptase from HIV by 3'-azido-3'-deoxythymidine triphosphate and its *threo* analogue.  
L. Vrang, H. Bazin, G. Remaud, J. Chattopadhyaya and B. Öberg, *Antiviral Res.*, **7**, 139-149 (1987).

## 1986

112. Site-specific modification of pyrimidine residue during the deprotection of the fully-protected diuridylic acid.  
X.-X. Zhou and J. Chattopadhyaya, *Tetrahedron*, **42** (18), 5149-5156 (1986).
111. Synthesis of O<sup>2'</sup>-methyluridine, O<sup>2'</sup>-methylcytidine, N<sup>4</sup>, O<sup>2'</sup>-dimethylcytidine and N<sup>4</sup>, N<sup>4</sup>, O<sup>2'</sup>-trimethylcytidine from a common intermediate.  
A. Nyilas and J. Chattopadhyaya, *Acta Chem. Scand.*, **B40**, 826-830 (1986).
110. The use of <sup>15</sup>N-NMR spectroscopy for assigning structures of isomeric N<sup>7</sup>- and N<sup>9</sup>-substituted purines.  
G. Remaud, J. Kjellberg, H. Bazin, N. G. Johansson and J. Chattopadhyaya, *Tetrahedron*, **42** (18), 5073-5080 (1986).
109. Synthesis of 2'-deoxy-2'(S)-deuterio and 2'-deoxy- 2'(R)-deuterio-β-D-nucleosides.  
T. Pathak, H. Bazin and J. Chattopadhyaya, *Tetrahedron*, **42** (19), 5427-5441 (1986).
108. Bioteknologi, bioorganisk och biologisk kemi - dagens forskningsfront, morgondagens utmaning.  
J. Chattopadhyaya, in "*Information nr. 564*", Eds. Swedish National Board for Technical Development (STU), 1986.
107. An assessment of the reactivity of guanosine and some of its derivatives to electrophiles by <sup>15</sup>N-NMR spectroscopy.

G. Remaud, X.-X. Zhou, C. J. Welch and J. Chattopadhyaya, *Tetrahedron*, **42** (14), 4057-4067 (1986).

106. Synthesis of an mRNA Fragment of Alanyl-tRNA Synthetase Gene in *Escherichia coli* Using the 6-methyl-3-pyridyl Group for Protection of the Imide Functions of Uridine and Guanosine.  
C. J. Welch, X.-X. Zhou and J. Chattopadhyaya, *Acta Chem. Scand.*, **B40**, 817-825 (1986).
105. Pyridyl groups for protection of the imide functions of uridine and guanosine. Exploration of their displacement reactions for site-specific modifications of uracil and guanine bases.  
X.-X. Zhou, C. J. Welch and J. Chattopadhyaya, *Acta Chem. Scand.*, **B40**, 806-816 (1986).
104. The Cordycepin Analogue of 2,5-A and Its *Threo* Isomer. Chemical Synthesis, Conformation and Biological Activity.  
A. Nyilas, L. Vrang, A. F. Drake, B. Öberg and J. Chattopadhyaya, *Acta Chem. Scand.*, **B40**, 678-688 (1986).
103. The Reaction of 9-(2',3'-Dideoxy- $\beta$ -D-glycero-pent-2-Enofuranosyl)-adenine Derivatives with Arene- and Alkanesulfonyl Chlorides. An Unusual Ring Opening Reaction of Thiirenium Ions.  
C. J. Welch, H. Bazin and J. Chattopadhyaya, *Acta Chem. Scand.*, **B40**, 343-357 (1986).
102. New phosphorylating reagents and protective group techniques for oligonucleotide synthesis, as well as computer assistance in the design of reagents.  
I. Ugi, J. Bauer, E. Fontain, J. Götz, G. Hering, P. Jakob, B. Landgraf, R. Karl, P. Lemmen, R. Schneiderwind-Stöcklein, R. Schwarz, P. Sluka, N. Balgobin, T. Pathak, X.-X. Zhou and J. Chattopadhyaya, *Chemica Scripta*, **26**, 205-215 (1986).
101. A Convenient Preparation of 2-N-(4-*t*-butylbenzoyl)-6-*O*-(2-Nitrophenyl)guanosine and Its Application in the Synthesis of 5' (GpGpGpU)3' Constituting the 3'-Anticodon Stem of *E.coli* tRNA<sup>Ile</sup>.  
X.-X. Zhou, A. Sandström and J. Chattopadhyaya, *Chemica Scripta*, **26**, 241-249 (1986).
100. Some Observations on the <sup>13</sup>C-NMR Assignments of the Pentofuranose Moiety of  $\beta$ -D-Nucleosides.  
H. Bazin, X.-X. Zhou, C. J. Welch, T. Pathak, A. Nyilas and J. Chattopadhyaya, *Chemica Scripta*, **26**, 17-19 (1986).
99. Preparation of 2'-*O*-methyl Ethers of Adenosine and Uridine Using 2',3'-*O*-(dibutylstannylene) Nucleosides and Diazomethane.  
T. Pathak and J. Chattopadhyaya, *Chemica Scripta*, **26**, 135-139 (1986).
98. A Convenient Preparation of 9-(3'-Deoxy- $\beta$ -D-*threo*-pentofuranosyl)-adenine and 9-[3'-Deoxy-3'(S)-deuterio- $\beta$ -D-2'-(S)-pentafuranosyl]-adenine.  
A. Nyilas and J. Chattopadhyaya, *Synthesis*, **3**, 196-198 (1986).
97. The Synthesis of 9-(5-Hydroxymethylfuran-2-yl)adenine and Its 8-Methyl Analogue.  
J.-M. Vial and J. Chattopadhyaya, *Chemica Scripta*, **26**, 225-227 (1986).
96. Preparation of 9- $\beta$ -D-(3'-deoxy-3'(R)-C-methyl Ribofuranosyl)-adenine - a 3'-C-methyl Analogue of Cordycepin.  
H. Bazin and J. Chattopadhyaya, *Chemica Scripta*, **26**, 13-15 (1986).
- 1985**
95. Use of 2-phenylsulfonyl ethyl as a phosphate protecting group in DNA synthesis using the phosphite-triester approach.  
N. Balgobin and J. Chattopadhyaya, *Acta Chem. Scand.*, **B39** (10), 883-888 (1985).
94. A convenient preparation of 3'-deoxyadenosine (cordycepin) and 9-[3'(R)-deuterio- $\beta$ -D-2'(R)-pentofuranosyl]-adenine.  
H. Bazin and J. Chattopadhyaya, *Synthesis*, **12**, 1108-1111 (1985).
93. A Convenient Preparation of *N*-Protected Nucleosides with the 2,2,2-Trichloro-*t*-butyloxycarbonyl (TCBOC) Group. Structural Assignment of *N,N*-bis-(TCBOC) Guanoside and Its 2'-Deoxy Analogue.  
X.-X. Zhou, I. Ugi and J. Chattopadhyaya, *Acta Chem. Scand.*, **B39**, 761-765 (1985).
92. The 2'-Hydroxyl Function Assisted Cleavage of the Internucleotide Phosphotriester Bond of a Ribonucleotide Under Acidic Conditions.  
T. Pathak and J. Chattopadhyaya, *Acta Chem. Scand.*, **B39**, 799-806 (1985).
91. Kärnspinsresonansspektroskopi för bestämning av biologisk struktur.  
B. Eriksson, A. Sandström and J. Chattopadhyaya, *Läkartidningen*, **82** (22), 2061-2063 (1985).
90. Chemical Synthesis of a Pentaribonucleoside Tetraphosphate Constituting the 3'-Acceptor Stem Sequence of *E.coli* tRNA<sup>Ile</sup> Using 2'-*O*-(3-Methoxy-1,5-dicarbomethoxypentan-3-yl)-ribonucleoside Building Blocks. Application of a New Achiral and Acid-labile 2'-Hydroxyl Protecting Group in tRNA Synthesis.  
A. Sandström, M. Kwiatkowski and J. Chattopadhyaya, *Acta Chem. Scand.*, **B 39**, 273-290 (1985).
89. Some aspects of ribonucleoside chemistry.  
S. Juntunen, H. Essadiq, A. Grouiller and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **4**, (1&2), 187-189 (1985).
88. Preparation and Properties of Chloro-*N,N*-dialkylamino-2,2,2-trichloroethoxy- and Chloro-*N,N*-dialkylamino-2,2,2-trichloro-1,1-dimethylethoxyphosphines and their Deoxynucleoside Phosphiteamidites.  
G. Hering, R. Stöcklein-Schneiderwind, I. Ugi, T. Pathak, N. Balgobin and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **4** (1&2), 169-171 (1985).
87. The Protection of the 2'-Hydroxyl Function in Oligoribonucleotide Synthesis.  
A. Sandström, M. Kwiatkowski and J. Chattopadhyaya, *Nucleosides & Nucleotides*, **4** (1-2), 177-181 (1985).
86. Some Aspects of the Reaction of Arenesulfonyl chlorides with Hydroxyl Functions of Ribonucleosides.  
H. Bazin, J. Heikkilä and J. Chattopadhyaya, *Acta Chem. Scand.*, **B39**, 391-400 (1985).
85. An Efficient Conversion of a Ribonucleoside to the Corresponding 2'-Keto-3'-deoxyribonucleoside by a Grignard reagent.  
S. Juntunen and J. Chattopadhyaya, *Acta Chem. Scand.*, **B39**, 149-155 (1985).
84. Synthesis of 3'-C-methyl-2'-deoxyribonucleoside with methylmagnesium iodide.

A. Grouiller, H. Essadiq, H. Pacheco, S. Juntunen and J. Chattopadhyaya, *Angew. Chem. Internat. Edit.*, **24**, 52 (1985).

83. Some aspects of oligoribonucleotide chemistry. M. Kwiatkowski, J. Heikkilä, C. J. Welch and J. Chattopadhyaya, in *"Natural Products Chemistry 1984"*, Eds. R. I. Z. a. J. J. Skolik, Elsevier Science Publisher, Amsterdam, 1985, p. 259-274.
82. Synthesis of C-5 and N-3 Arenesulfonyl Uridines. Preparation and Properties of a New Class of Uracil Protecting Group. C. J. Welch, H. Bazin, J. Heikkilä and J. Chattopadhyaya, *Acta Chem. Scand.*, **B39**, 203-212 (1985).
81. Interaction between 2',5'-A core analogues and 2',5'-specific phosphodiesterase. L. Vrang, A. F. Drake, J. Chattopadhyaya and B. Öberg, *Acta Chem. Scand.*, **B39**, 751 (1985).
80. Synthesis of Adenylyl-(3'Ø5')-guanosine and some Analogues as Probes to Explore the Molecular Mechanism of Stimulation of Influenza Virus RNA Polymerase. J. Heikkilä, S. Stridh, B. Öberg and J. Chattopadhyaya, *Acta Chem. Scand.*, **B39**, 657-669 (1985).
79. The chemical synthesis and antiviral properties of an Acyclovir-phospholipid conjugate. C. J. Welch, A. Larsson, A. C. Ericsson, B. Öberg, R. Datema and J. Chattopadhyaya, *Acta Chem. Scand.*, **B39**, 47 (1985).

#### 1984

78. Purification of DNA fragments and monomeric components of RNA by reverse phase ion pair chromatography. M. Kwiatkowski, A. Sandström, N. Balgobin and J. Chattopadhyaya, *Nucl. Acids Res. Symposium Ser.*, issue #14, 301-302 (1984).
77. A new acid-labile protective group geared to the preparation of pure oligoribonucleotide blocks using preparative reverse phase chromatography. M. Kwiatkowski and J. Chattopadhyaya, *Nucl. Acids Res. Symposium Ser.*, issue #14, 299-300 (1984).
76. Synthesis of branched-chain deoxy sugar nucleoside with Grignard reagent. A. Grouiller, H. Essadiq, H. Pacheco and J. Chattopadhyaya, *Nucl. Acids Res. Symposium Ser.*, issue #14, 249-250 (1984).
75. Purification of oligonucleotides by a combination of gel electrophoresis and Isotachophoresis. N. Balgobin, K. Hammarström, B.-M. Carlberg, U. Pettersson and J. Chattopadhyaya, *Nucl. Acids Res. Symposium Ser.*, issue #14, 303-304 (1984).
74. Synthesis of an Acyclovir-phospholipid conjugate. C. J. Welch and J. Chattopadhyaya, *Nucl. Acids Res. Symposium Ser.*, issue # 14, 261-262 (1984).
73. Use of Reverse Phase Ion Pair Chromatography to Fractionate and Purify DNA Fragments and Monomeric Components of RNA. M. Kwiatkowski, A. Sandström, N. Balgobin and J. Chattopadhyaya, *Acta Chem. Scand.*, **B 38** (9), 721-733 (1984).
72. The 9-(4-Octadecyloxyphenylxanthen)-9-yl- Group. A New Acid-labile Hydroxyl Protective Group and Its Application

in the Preparative Reverse-Phase Chromatographic Separation of Oligoribonucleotides.

M. Kwiatkowski and J. Chattopadhyaya, *Acta Chem. Scand.*, **B38**, 657-671 (1984).

71. Rapid and quantitative recovery of DNA fragments from gels by displacement electrophoresis (Isotachophoresis). L.-G. Öfverstedt, K. Hammarström, N. Balgobin, S. Hjertén, U. Pettersson and J. Chattopadhyaya, *Biochim. Biophys. Acta*, **782**, 120 (1984).
70. Synthesis of D-psico- and D-fructofuranosyl nucleosides. A. Grouiller and J. Chattopadhyaya, *Acta Chem. Scand.*, **B38**, 367 (1984).

#### 1983

69. 2-Nitrophenylsulfonyl (Nps) group for the protection of amino functions of cytidine, adenosine, guanosine and their 2'-deoxysugar derivatives. J. Heikkilä, N. Balgobin and J. Chattopadhyaya, *Acta Chem. Scand.*, **B37**, 857-864 (1983).
68. The 9-Fluorenylmethoxycarbonyl (Fmoc) Group for the Protection of Amino Functions of Cytidine, Adenosine, Guanosine and Their 2'-Deoxysugar Derivatives. J. Heikkilä and J. Chattopadhyaya, *Acta Chem. Scand.*, **B37**, 263-265 (1983).
67. 3-N-acyl uridines: Preparation and properties of a new class of uracil protecting group. C. J. Welch and J. Chattopadhyaya, *Acta Chem. Scand.*, **B37**, 147 (1983).
66. Two New and Efficient Routes to the Preparation of Oligoribonucleotides of Defined Sequence H. Seliger, D. Zeh, G. Azuru and J. B. Chattopadhyaya, *Chemica Scripta*, **22**, 95-101 (1983).
65. Chemical synthesis and molecular cloning of a STOP oligonucleotide encoding an UGA translation terminator in all three reading frames. R. F. Pettersson, K. Lindström, J. Chattopadhyaya, S. Josephson, L. Philipson, L. Kääriäinen and I. Palva, *Gene*, **24**, 15 (1983).
64. Chemical Synthesis of an Undecaribonucleoside Decaphosphate Constituting the 3'-Terminal Acceptor Stem Sequence of Yeast tRNA<sup>Phe</sup>. M. Kwiatkowski, J. Heikkilä, S. Björkman, J. B. Chattopadhyaya and H. Seliger, *Chemica Scripta*, **22**, 30-48 (1983).

#### 1982

63. General methods of "one-pot" preparations of 5'-O-(9-phenylxanthen-9-yl)dideoxyribonucleoside(3'→5') mono phosphates. S. Josephson, N. Balgobin and J. Chattopadhyaya, "Proceedings of the 4th. International Round Table", p. 187 (1982); Antwerp University, Belgium.
62. Some aspects of the chemical synthesis of oligonucleotides. C. Gioeli, S. Josephson, N. Balgobin, M. Kwiatkowski and J. Chattopadhyaya, "Proceedings of the 4th. International Round Table", p. 155 (1982); Antwerp University, Belgium.
61. A "one-pot" synthesis of 4-N-benzoyl-2'-O-methylcytidine and its application as a key building block in tRNA chemistry.

- J. Heikkilä and J. Chattopadhyaya, *Chemica Scripta*, **20**, 251 (1982).
60. A novel strategy for the chemical synthesis of DNA and RNA fragments using 2-oxymethyleneanthraquinone (MAQ) as a 3'-terminal phosphate protecting group. N. Balgobin, M. Kwiatkowski and J. Chattopadhyaya, *Chemica Scripta*, **20**, 198-200 (1982).
59. A Convenient Method of Deprotection of the  $\beta$ -(Trimethylsilyl)-Ethoxycarbonyl (TEOC) Amino Protecting Group. S. Björkman and J. Chattopadhyaya, *Chemica Scripta*, **20**, 201-202 (1982).
58. The Complementarity of Two  $\beta$ -Eliminating Protecting Groups in the Synthesis of Octathymidylic Acid Through the Phosphotriester Approach. N. Balgobin, C. J. Welch and J. Chattopadhyaya, *Chemica Scripta*, **20**, 196-197 (1982).
57. 5'-O-trityl group promoted directive effect in the preparation of 2'-O-methyl ribonucleosides. J. Heikkilä, S. Björkman, B. Öberg and J. Chattopadhyaya, *Acta Chem. Scand.*, **B36**, 715 (1982).
56. 2-(4-Nitrophenyl)thioethyl - A Phosphate Protecting Group and its Application in Conjunction with 5'-O-2,2-Dibromomethylbenzoyl-Group in the Synthesis of Dodecathymidylic Acid Through the Phosphotriester Approach. N. Balgobin and J. Chattopadhyaya, *Chemica Scripta*, **20**, 144-146 (1982).
55. Acidic Hydrolysis of Phosphoester Bonds in Adenylyl-(3' $\rightarrow$ 5')-Adenosine and Adenylyl-(2' $\rightarrow$ 5')-Adenosine. M. Kwiatkowski and J. B. Chattopadhyaya, *Chemica Scripta*, **20**, 193-195 (1982).
54. 5-Benzisoxazolymethylene (BIM) A New Phosphate Protecting Group; its Application in DNA Synthesis Through the Phosphotriester Approach. N. Balgobin and J. Chattopadhyaya, *Chemica Scripta*, **20**, 142-143 (1982).
53. An Efficient Synthesis of Adenylyl-(3' $\rightarrow$ 5')-Adenosine Through the Phosphotriester Approach. M. Kwiatkowski and J. B. Chattopadhyaya, *Chemica Scripta*, **20**, 139-141 (1982).
52. Geniala Maskiner tillverkar liv. J. Chattopadhyaya, S. Josephson and U. Pettersson, *Forskning och Framsteg*, **17**, 33 (1982).
51. An Efficient Chemical Synthesis of a Biologically Functional DNA Molecule, 5'd(A-T-G-G-T-T-T-C-T-T-C-G-C)3', Through the Phosphotriester Approach. N. Balgobin and J. Chattopadhyaya, *Chemica Scripta*, **20**, 133-138 (1982).
50. The Fluorene-9-ylmethoxycarbonyl Group for the Protection of Hydroxygroups; Its Application in the Synthesis of an Octathymidylic Acid Fragment. C. Gioeli and J. B. Chattopadhyaya, *J. Chem. Soc. Chem. Comm.*, 672-674 (1982).
49. Leader arrangement in the adenovirus fiber mRNA. M. Uhlen, C. Svensson, S. Josephson, P. Aleström, J. Chattopadhyaya, U. Pettersson and L. Philipson, *EMBO J.*, **1**, (2), 249 (1982).
48. Syntetiska oligonukleotider in molekylär biologisk forskning. S. Björkman and J. Chattopadhyaya, *Kemisk tidskrift*, **94**, (6), 54 (1982).
- 47.2. Den Kemiska syntesens utveckling inom DNA området. (Part 1) J. Chattopadhyaya and S. Josephson, *Kemisk tidskrift*, **94**, (5), 32 (1982).
- 47.1. Den Kemiska syntesens utveckling inom DNA området. (Part 2) J. Chattopadhyaya and S. Josephson, *Kemisk tidskrift*, **94**, (4), 38 (1982).
46. Fluorene-9-methyl-, a Phosphate Protecting Group: Its Application in the Phosphotriester Approach Through the Synthesis of Tetracosathymidylic Acid. C. Gioeli and J. B. Chattopadhyaya, *Chemica Scripta*, **19**, 235-237 (1982).
45. Two Sulfur Containing Protecting Groups for Alcoholic Hydroxyl Function. N. Balgobin and J. B. Chattopadhyaya, *Chemica Scripta*, **19**, 143-144 (1982).
44. Precipitation of nucleosides by calcium phosphate. K. Stenberg, B. Öberg and J. Chattopadhyaya, *Biochim. Biophys. Acta*, **697**, 170 (1982).
43. Chemical synthesis and conformations of "arabino analogues" of (2' $\rightarrow$ 5')-isooligo-adenylates and their application as probes to determine the structural requirements of cellular exonucleases. M. Kwiatkowski, C. Gioeli, B. Öberg, A. F. Drake and J. Chattopadhyaya, *Chemica Scripta*, **19**, 49 (1982).
42. Synthesis and properties of *ara*-adenylyl-(3' $\rightarrow$ 5')-*ara*-adenylyl-(3' $\rightarrow$ 5')-*ara*-A [*ara*-(A3p5'A3p5'A)]. C. Gioeli, J. Chattopadhyaya, B. Öberg and A. F. Drake, *Chemica Scripta*, **19**, 13 (1982).

### 1981

41. The application of 2-(4-chlorophenyl)-sulfonylethoxycarbonyl (CPSEC) group in the synthesis of a DNA segment using the phosphotriester approach. S. Josephson, N. Balgobin and J. Chattopadhyaya, *Tetrahedron Lett.*, **22**, (45), 4537-4540 (1981).
40. The 2-phenylsulfonylethoxycarbonyl (PSEC) group for the protection of the hydroxyl function. N. Balgobin, S. Josephson and J. Chattopadhyaya, *Tetrahedron Lett.*, **22**, (37), 3667-3670 (1981).
39. The application of the 2-phenylsulfonylethyl-, a novel phosphate protecting group, in the synthesis of DNA fragments of defined sequences. S. Josephson and J. Chattopadhyaya, *Chemica Scripta*, **18**, 184 (1981).
38. Chemical synthesis of a tetradecadeoxyribonucleoside tridecaphosphate using 2-phenylsulfonylethyl as a phosphate protecting group. S. Josephson, N. Balgobin and J. Chattopadhyaya, *Nucl. Acids Res. Symposium Ser.*, issue #9, 177-182 (1981).
37. Synthesis and properties of *ara*-adenylyl-(2' $\rightarrow$ 5')-*ara*-adenylyl-(2' $\rightarrow$ 5')-*ara*-A [*ara*-(A2p5'A2p5'A)]. M. Kwiatkowski, C. Gioeli, B. Öberg and J. Chattopadhyaya, *Chemica Scripta*, **18**, 95 (1981).
36. 2-Phenylsulfonylethyl, a new phosphate protecting group: Its application in the synthesis of dodecathymidylic acid.

- N. Balgobin, S. Josephson and J. B. Chattopadhyaya, *Tetrahedron Lett.*, **22** (20), 1915-1918 (1981).
35. The tetraisopropylidisiloxane-1,3-diyl: A versatile protecting group for the synthesis of adenylyl-(2' → 5')-adenylyl-(2' → 5')-adenosine (2-5A core).  
C. Gioeli, M. Kwiatkowski, B. Öberg and J. B. Chattopadhyaya, *Tetrahedron Lett.*, **22** (18), 1741-1744 (1981).
34. Reversed-Phase Ion-Pair Chromatography of Oligodeoxyribonucleotides  
A. Sokolowski, N. Balgobin, S. Josephson, J. B. Chattopadhyaya and G. Schill, *Chemica Scripta*, **18** (4), 189-191 (1981).
33. Functional analysis of Influenza RNA polymerase activity by the use of Caps, oligonucleotides and polynucleotides.  
S. Stridh, B. Öberg, J. Chattopadhyaya and S. Josephson, *Antiviral Res.*, **1**, 97 (1981).
32. The chemical synthesis of oligodeoxyribonucleotides of defined sequences.  
N. Balgobin, S. Josephson and J. Chattopadhyaya, "Proceedings of the 4th. International Round Table on Nucleosides, Nucleotides and their biological applications", p. 17 (1981); Antwerp University, Belgium.
31. Solid phase synthesis of 5'-d(AGCAAAGCAGG)-3' using 9-phenyl xanthen-9-yl as a 5'-protecting group following the phosphotriester approach.  
S. Josephson and J. Chattopadhyaya, "Proceedings of the 4th. International Round Table on Nucleosides, Nucleotides and their biological applications", p. 36 (1981); Antwerp University, Belgium.
30. Reinvestigation of "one-step" preparations of 5'-protected dinucleoside monophosphates.  
S. Josephson, N. Balgobin and J. Chattopadhyaya, "Proceedings of the 4th. International Round Table on Nucleosides, Nucleotides and their biological applications", p. 7 (1981); Antwerp University, Belgium.
29. 2-(Trimethylsilyl)ethyl chloroformate: A convenient reagent for protection of hydroxyl function.  
C. Gioeli, N. Balgobin, S. Josephson and J. Chattopadhyaya, *Tetrahedron Lett.*, **22** (10), 969-972 (1981).
28. A General Approach to the Chemical Synthesis of Oligodeoxyribonucleotides.  
N. Balgobin, S. Josephson and J. B. Chattopadhyaya, *Acta Chem. Scand.*, **B35** (3), 201-212 (1981).
- 1980**
27. Synthesis of adenylyl-(2' → 5')-adenylyl-(2' → 5')-adenosine (2-5A core).  
J. Chattopadhyaya, *Tetrahedron Lett.*, **21**, 4113 (1980).
26. Chemical Synthesis of a Tridecanucleoside Dodecaphosphate Sequence of SV40 DNA.  
J. B. Chattopadhyaya and C. B. Reese, *Nucl. Acids Res.*, **8** (9), 2039-2053 (1980).
25. Structure of 9-β-D-arabinofuranosyl-8-morpholino- adenine dihydrate. An arabinose in *syn*-conformation.  
V. Swaminathan, M. Sundaralingam, J. Chattopadhyaya and C. B. Reese, *Acta Cryst.*, **B36**, 828 (1980).
- 1979**
24. Some Observations Relating to Phosphorylation Methods in Oligonucleotide Synthesis.  
J. B. Chattopadhyaya and C. B. Reese, *Tetrahedron Lett.*, (52), 5059-5062 (1979).
23. 2-Dibromomethylbenzoyl: An Acyl Protecting Group Removable Under Exceptionally Mild Conditions.  
J. B. Chattopadhyaya, C. B. Reese and A. H. Todd, *J. Chem. Soc. Chem. Comm.*, 987-988 (1979).
22. 9-β-D-Arabinofuranosyl-8-*n*-butylamino adenine, a C-8 substituted nucleoside in the *anti*-conformation.  
S. Neidle, M. R. Sanderson, A. Subbiah, J. Chattopadhyaya, R. Kuroda and C. B. Reese, *Biochim. Biophys. Acta*, **565**, 379 (1979).
- 1978**
21. Convenient preparations of 9-β-D-arabinofuranosyl-guanine, 9-β-D-arabinofuranosyl-hypoxanthine and derivatives.  
J. Chattopadhyaya and C. B. Reese, *Synthesis*, 908 (1978).
20. A synthesis of purine arabinosides.  
J. Chattopadhyaya and C. B. Reese, *Nucl. Acids Res. special publication*, **4**, 67 (1978).
19. The 9-Phenylxanthen-9-yl Protecting Group.  
J. B. Chattopadhyaya and C. B. Reese, *J. Chem. Soc. Chem. Comm.*, 639-640 (1978).
18. Reaction of methylhydrazine and hydrazine with 8-bromo-2'-*O*-toluene-*p*-sulphonyl adenosine.  
J. Chattopadhyaya and C. B. Reese, *J. Chem. Soc. Chem. Comm.*, 86 (1978).
- 1977**
17. Synthetic nucleosides.  
J. Chattopadhyaya and C. B. Reese, *British Provisional Patent*, 37554 (1977).
16. Reaction between 8-bromoadenosine and amines. Chemistry of 8-hydrazinoadenosine.  
J. Chattopadhyaya and C. B. Reese, *Synthesis*, 725 (1977).
15. Reaction of 8,2'-*O*-cycloadenosine with hydrazine and amines. Convenient preparations of 9-β-D-arabinofuranosyladenine and its derivatives.  
J. Chattopadhyaya and C. B. Reese, *J. Chem. Soc. Chem. Comm.*, 414 (1977).
- 1976**
14. Interconversion of 8,2'-*O*-cycloadenosine and 2',3'-*O*-anhydro-8-oxyadenosine.  
J. Chattopadhyaya and C. B. Reese, *J. Chem. Soc. Chem. Comm.*, 860 (1976).
13. Phenyl dihydrogen phosphate.  
G. R. Owen, J. Chattopadhyaya and C. B. Reese, in "*Nucleic Acid Chemistry, Part II*", Eds. L. B. Townsend and B. S. Tipson, John Wiley & Sons Inc., New York, 1976, p. 1003.
- 1975**



- 12.\* Infrared spectra of the molecular complexes of *p*-benzoquinone with aromatic bases: Evidence for localised charge transfer.  
J. Chattopadhyaya, M. N. Deshmukh and C. I. Jose, *J. Chem. Soc. Faraday Trans. I*, **11**, 1127 (1975).
11. Reaction of ethyl orthoformate with phosphorous pentasulfide and *O,O*-diethyldithio phosphoric acid.  
B. K. Athwale, J. Chattopadhyaya and A. V. Ramarao, *Indian J. Chem.*, **13**, 812 (1975).
10. Heterocycles: Part VII - Desulphurisation of triaryl-s-trithianes with hydrazine hydrate.  
J. Chattopadhyaya and A. V. Ramarao, *Indian J. Chem.*, **13**, 632 (1975).
9. Heterocycles: Part V - Reactions of phenylisothiocyanate and phenylisocyanate on 2-amino-5-chloro benzophenone.  
R. J. Lahoti, J. Chattopadhyaya and A. V. Ramarao, *Indian J. Chem.*, **13**, 458 (1975).

### 1974

8. Heterocycles: Part VI - An oxidative desulphurisation of s-trithianes with iodine and pyridine N-oxide.  
J. Chattopadhyaya and A. V. Ramarao, *Synthesis*, 865 (1974).
7. Electron-impact fragmentation of triaryl-s-trithianes: a novel skeletal rearrangement involving sulphur-sulphur bond formation.  
J. Chattopadhyaya and A. V. Ramarao, *Org. Mass Spectrom.*, **9**, 649 (1974).
6. Silica gel induced isomerisation of aldoximes to amides.  
J. Chattopadhyaya and A. V. Ramarao, *Tetrahedron*, **30**, 2899 (1974).
5. Synthesis of substituted thioureas and Schiff bases from organic isothiocyanates in dimethylsulfoxide.  
J. Chattopadhyaya and A. V. Ramarao, *Synthesis*, 289 (1974).

### 1973

4. Reaction of benzaldehyde with *O,O*-diethyldithio phosphoric acid and hydrolysis of s-trithianes with silver oxide.  
J. Chattopadhyaya and A. V. Ramarao, *Indian J. Chem.*, **11**, 1331 (1973).
3. Synthesis through carbanions from 2,4,6-triaryl-s-trithianes and their conversion to carbonyl compounds by oxidative desulphurisation.  
J. Chattopadhyaya and A. V. Ramarao, "Annual Convention of Chemists", p. 181 (1973);
2. A novel oxidative desulphurisation of s-trithianes and thioacetals with iodine in dimethylsulfoxide.  
J. Chattopadhyaya and A.V.Ramarao, *Tetrahedron Lett.*, **38**, 3735 (1973).
1. A convenient method of preparation of aromatic  $\alpha$ -deuterioaldehydes and  $\alpha,\alpha'$ -dideuterio stilbenes  
J. Chattopadhyaya, A. V. Ramarao and K. Venkataraman, *Indian J. Chem.*, **11**, 987 (1973).