

Supplementary Table 2. Antibodies

| Name | Host | Clone# | Working Dilution | Conjugation | Experiment | Source |
|-------------------|--------|------------|------------------|-------------|------------|------------|
| Myc | Mouse | 9E10 | 1:3,000 | none | WB | Covance |
| HIV-CA | Rabbit | polyclonal | 1:5,000 | none | WB | Covance |
| α -Tubulin | Mouse | DM1A | 1:5,000 | none | WB | Sigma |
| α -Tubulin | Mouse | DM1A | 1:1,000 | none | ICC | Sigma |
| IST1 | Rabbit | polyclonal | 1:5,000 | none | WB | Covance |
| CHMP2A | Rabbit | polyclonal | 1:200 | none | WB | Covance |
| GST | Rabbit | polyclonal | 1:1,000 | none | WB | Upstate |
| mouse IgG | Goat | polyclonal | 1:1,000 | Alexa 594 | ICC | Invitrogen |
| rabbit IgG | Goat | polyclonal | 1:20,000 | Alexa 680 | WB | Invitrogen |
| mouse IgG | Goat | polyclonal | 1:20,000 | Alexa 680 | WB | Invitrogen |
| Rabbit IgG | Donkey | polyclonal | 1:20,000 | IRDYE700DX | WB | Rockland |

WB: Western Blotting

ICC: Immunocytochemistry