

4.13	Effectiveness of five different vaccination policies on the <i>moderate</i> ₁ contact network as measured by the size of the largest connected component in the unvaccinated network. The <i>x</i> -axis represents the percentage of people vaccinated. The <i>y</i> -axis represents the size of the largest connected component as a percentage of the size of the entire graph.	132
4.14	Effectiveness of five different vaccination policies on the <i>dense</i> ₁ contact network as measured by the size of the largest connected component in the unvaccinated network. The <i>x</i> -axis represents the percentage of people vaccinated. The <i>y</i> -axis represents the size of the largest connected component as a percentage of the size of the entire graph.	133
4.15	Comparison of distance traveled, as measured by number of hops between consecutive logins, versus the degree of each vertex in the <i>moderate</i> ₁ graph.	135
4.16	Effectiveness of vaccination policies on a “time-shifted” HCW contact network. The connectivity-based policies are generated from the <i>moderate</i> ₁ HCW contact network. The mobility-based vaccination policies are generated using the EMR login data for the same time window $T = 1$. The plot shows the effectiveness of these policies on the “time-shifted” HCW contact network, <i>moderate</i> ₅ , measured by the expected number of people infected starting from a single infected individual chosen uniformly at random. The $T = 1$ -network and the $T = 5$ -network not only differ in edges, but also in the HCWs they contain as vertices.	137
4.17	Vaccination policies (a) degree and (b) distance for eight different <i>moderate</i> contact networks generated from four week periods spread throughout the 22 month period we have data for. Policies are evaluated by measuring the size of the largest connected component after vaccination. The <i>x</i> -axis represents the budget of vaccinations as a fraction of the total population. The <i>y</i> -axis represents the expected fraction of the population infected based on experiments.	138
4.18	Effectiveness of the degree-based, distance-based, k-PVC-based, and anonymous policies on the <i>moderate</i> ₁ HCW contact networks measured by the expected number of people infected as a result of simulation of an SIR disease diffusion simulation with peak transmission probability $p = .5$. The <i>x</i> -axis represents the budget of vaccinations as a fraction of the total population. The <i>y</i> -axis represents the expected fraction of the population infected based on experiments.	139