

- Anderson, D. M. (1995). Toxic red tides and harmful algal blooms: A practical challenge in coastal oceanography. *Reviews of Geophysics*. Supplement: U.S. National Report to International Union of Geodesy and Geophysics 1991-1994. 1189-1200.
- Anderson, D. M., Andersen, P., Bricelj, V. M., Cullen, J. J. and Rensel, J. E. (2001). *Monitoring and Management Strategies for Harmful Algal Blooms in Coastal Waters*. Paris: Intergovernmental Oceanographic Commission Technical Series No. 59, Paris, 268 pp.
- Anderson, D. M., Kulis, D. M., and Binder, B. J. (1984). Sexuality and cyst formation in the dinoflagellate *Gonyaulax tamarensis*: Cyst yield in batch cultures. *Journal of Phycology*. 20: 418-425.
- André, J.-M., Navarette, C., Blanchot, J., and Radenac, M.-H. (1999). Picophytoplankton dynamics in the equatorial Pacific: Growth and grazing rates from cytometric counts. *Journal of Geophysical Research*. 104: 3369-3380.
- Babin, M. (2005). In: Cullen, J.J. (ed) *Realtime Observation Systems for Ecosystem Dynamics and Harmful Algal Blooms*. UNESCO, Paris, p. (this volume).
- Babin, M., Morel, A., Fournier-Sicre, V., Fell, F., and Stramski, D. (2003). Light scattering properties of marine particles in coastal and open ocean waters as related to the particle mass concentration. *Limnology and Oceanography*. 48: 843-859.
- Balch, W. M., Drapeau, D., Bowler, B., Booth, E., Goes, J., Ashe, A., and Frye, J. (2004). A multi-year record of optical properties in the Gulf of Maine: I. Spatial and temporal variability. *Progress in Oceanography*. 63: 57-98.
- Balch, W. M., Drapeau, D. T., Fritz, J. J., Bowler, B. C., and Nolan, J. (2001). Bio-optical backscattering in the Arabian Sea - continuous underway measurements of particulate inorganic and organic carbon. *Deep-Sea Research I*, 48: 2423-2452.
- Barnes, R. A., Eplee, R. E., Schmidt, G. M., Patt, F. S., and McClain, C. R., (2001). The calibration of SeaWiFS, Part 1: direct techniques. *Applied Optics*. 40: 6682-6700.
- Barth, J. A., Bogucki, D., Pierce, S. D., and Kosro, P. M. (1998). Secondary circulation associated with a shelfbreak front. *Geophysical Research Letters*. 25: 2761-2764.
- Bartz, R., Zaneveld, J. R. V. and Pak, H. (1978). A transmissometer for profiling and moored observations in water. *SPIE, vol. 160, Ocean Optics V*, 102-108.
- Behrenfeld, M. J., Boss, E., Siegel, D. A., and Shea, D. M. (2004). Carbon-based ocean productivity and phytoplankton physiology from space. *Global Biogeochemical Cycles*, in press.
- Behrenfeld, M. and Falkowski, P. G. (1997). Photosynthetic rates derived from satellite-based chlorophyll concentration. *Limnology and Oceanography*. 42: 1479-1491.
- Bianchi, T. S., Engelhaupt, E., Westman, P., Andrén, T., Rolff, C. and Elmgren, R. (2000). Cyanobacterial blooms in the Baltic Sea: Natural or human-induced? *Limnology and Oceanography*. 45: 716-726.
- Bishop, D., Gammel, P., and Giles, C. R. (2001). The little machines that are making it big. *Physics Today*. 54: 38-44.
- Bishop, J. K. B. (1999). Transmissometer measurement of POC. *Deep-Sea Research I*. 46: 353-369.
- Bishop, J. K. B., Guay, C. K., Sherman, J. T., Moore, C., and Davis, R. E. (2003). Prospects for a "C-ARGO": a new approach for exploring ocean carbon system variability, In: Harada, K. and Dickey, T. (eds) *Proceedings of the International*