

- McNeil, J. D., Jannasch, H. W., Dickey, T., McGillicuddy, D., Brzezinski, M., and Sakamoto, C. M. (1999). New chemical, bio-optical and physical observations of upper ocean response to the passage of a mesoscale eddy off Bermuda. *Journal of Geophysical Research*. 104: 15,537-15,548.
- McPhee-Shaw, E. E., Siegel, D., Washburn, L., Brzezinski, M., and Jones J. (2004). Mechanisms for nutrient delivery to the inner shelf: observations from the Santa Barbara Channel. *Limnology and Oceanography*. In Press.
- Millie, D. F., Kirkpatrick, G. J., and Vinyard, B. T. (1995). Relating photosynthetic pigments and in vivo optical density spectra to irradiance for the Florida red-tide dinoflagellates *Gymnodinium breve*. *Marine Ecology Progress Series*. 120: 65-75.
- Millie, D. F., Schofield, O. M., Kirkpatrick, G. J., Johnsen, G., Tester, P. A., and Vinyard, B. T. (1997). Detection of harmful algal blooms using photopigments and absorption signatures: A case study of the Florida red tide, *Gymnodinium breve*. *Limnology and Oceanography*. 42: 1240-1251.
- Mitchell, B. G., Kahru, M., and Sherman, J. (2000). Autonomous temperature-irradiance profiler resolves the spring bloom in the sea of Japan. *Ocean Optics XV*, CD-ROM.
- Mobley, C. D. (1994). *Light and Water: Radiative Transfer in Natural Waters*. Academic Press, San Diego, CA, 592 pp.
- Moline, M. A., Blackwell, S., Chant, R., Oliver, M. J., Bergmann, T., Glenn, S., and Schofield, O. (2004). Episodic physical forcing and the structure of phytoplankton communities in the coastal waters of New Jersey. *Journal of Geophysical Research*. (In Press).
- Moore, C. C., Zaneveld, J. R. V., and Kitchen, J. C. (1992). Preliminary results from *in situ* spectral absorption meter data. *Ocean Optics XI, SPIE*, 1750: 330-337.
- Murakawa, M. (1987). Marine pollution and countermeasures in Japan. *Oceanus*. 30: 55-60.
- Nagai, S., Itakura, S., Matsuyama, Y., and Kotani, Y. (2003). Encystment under laboratory conditions of the toxic dinoflagellate *Alexandrium tamiyavanichii* (Dinophyceae) isolated from the Seto Inland Sea, Japan. *Phycologia*. 42: 646-653.
- National Research Council (2003). *Enabling Ocean: Research in the 21<sup>st</sup> Century*. The National Academies Press, Washington D.C., 220 pp.
- Ohlmann, J. C. and Siegel, D. A. (2000) Ocean radiant heating. Part II: Parameterizing solar radiation transmission through the upper ocean. *Journal of Physical Oceanography*. 30: 1849-1865.
- Ohlmann, J. C., Siegel, D. A., and Mobley, C. D. (2000). Ocean radiant heating. Part I: Optical influences. *Journal of Physical Oceanography*. 30: 1833-1848.
- Okaichi, T. (1989). Red tide problems in the Seto Inland Sea. In: Yanagi, T. (ed) *Sustainable Development in the Seto Inland Sea, Japan — From the Viewpoint of Fisheries*. Terra Scientific Publishing Company, Tokyo, p. 251-304.
- Olson, R. J., Chisholm, S. W., Zettler, E. R., Altabet, M. A., and Dusenberry, J. A. (1990). Spatial and temporal distributions of prochlorophyte picoplankton in the North Atlantic Ocean. *Deep-Sea Research*. 37: 1033-1051.
- Olson, R. J., Zettler, E. R., and Chisholm, S. W. (1991). Advances in oceanography through flow cytometry. In: Demers, S. (ed) *Particle analysis in oceanography*. Springer-Verlag, p. 351-399.